

TCCC Journal Watch

February 2018

Afzali M, Kvisselgaard A, Lyngeraa T, Viggers S: Intraosseous access can be taught to medical students using the four-step approach. *BMC Med Educ* 2017;17:50

Agri F, Bourgeat M, Becce F, et al: Association of pelvic fracture patterns, pelvic binders use and arterial angio-embolization with transfusion requirements and mortality rates; a 7 year retrospective cohort study. *BMC Surg* 2017;17:104

Aiolfi A, Benjamin E, Recinos G, et al: Air versus ground transportation is isolated severe head trauma: a national trauma data bank study. *J Emerg Med* 2017;Epub ahead of print

Akoglu H, Celik O, Celik A, et al: Diagnostic accuracy of the Extended Focused Abdominal Sonography for Trauma (E-FAST) performed by emergency physicians compared to computed tomography. *Am J Emerg Med* 2017;Epub ahead of print

Alajmi T, Saeed H, Alfaryan K, et al: Efficacy of tranexamic acid in reducing blood loss and blood transfusion in idiopathic scoliosis: a systematic review and meta-analysis. *J Spine Surg* 2017;3:531-540

Alam A, Olarte R, Callum J, et al: Hypothermia indices among severely injured trauma patients undergoing urgent surgery: a single-centered retrospective quality review and analysis. *Injury* 2017;Epub ahead of print

Alam A, Oskam E, Stassen P, et al: Prehospital antibiotics in the ambulance for sepsis: a multicentre, open label, randomised trial. *Lancet Respir Med* 2017;Epub ahead of print

Al-Hasan M, Acker E, Kohn J, et al: Impact of penicillin allergy on empirical carbapenem use in gram-negative bloodstream infections: an antimicrobial stewardship opportunity. *Pharmacotherapy* 2017;Epub ahead of print

Al-Kadhimi S, Patel A, Plaat F: Intrathecal tranexamic acid- an accident waiting to happen? *Int J Obstet Anesth* 2017;Epub ahead of print

Apipan B, Rummasak D, Narainthonsaene T: The effect of different dosage regimens of tranexamic acid on blood loss in bimaxillary osteotomy: a randomized, double-blind, placebo-controlled study. *Int J Oral Maxillofac Surg* 2017;Epub ahead of print

April M, Lopes T, Schauer S, et al: Advise and assist: a basic medical skills course for partner forces. *J Spec Oper Med* 2017;17:63-67

Asik M, Akay S, Eksert S: Analyses of combat-related injuries to the maxillofacial and cervical regions and experiences in an operational field hospital. *Ulus Travma Acil Cerrahi Derg* 2018;24:56-60

Atkins C, Bramlett H, Dietrich W: Is temperature an important variable in recovery after mild traumatic brain injury? *F1000 Res*;2017;Epub ahead of print

Aurora A, Roe J, Umoh N, et al: Fresh whole blood resuscitation does not exacerbate skeletal muscle edema and long-term functional deficit after ischemic injury and hemorrhagic shock. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Baker J, Modlin R, Ong R, Remick K: The SOF truths for Army Special Operations Forces Surgical Teams. *J Spec Oper Med* 2017;17:52-55

Baniya S, Basnyat B: Mismanagement of severe altitude illness in a tertiary hospital in Nepal: a cautionary tale. *Wilderness Environ Med* 2018;Epub ahead of print

Baniya S, Holden C, Basnyat B: Reentry high altitude pulmonary edema in the Himalayas. *High Alt Med Biol* 2017;18:425-427

Barron M, Kuckelman J, McClenllan J, et al: Smartphone-based mobile thermal imaging technology to assess limb perfusion and tourniquet effectiveness under normal and blackout conditions. *J Trauma Acute Care Surg* 2017;83:1129-1135

Beaucreux C, Vivien B, Miles E, et al: Application of tourniquet in civilian trauma: systematic review of the literature. *Anaesth Crit Care Pain Med* 2018;Epub ahead of print

Becker T, Berning A, Prabhu A, et al: An assessment of ventilation and perfusion markers in out-of-hospital cardiac arrest patients receiving mechanical CPR with endotracheal or supraglottic airways. *Resuscitation* 2018;122:61-64

Benjamin E, Cho J, Recinos G, et al: Negative computed tomography can safely rule out clinically significant intra-abdominal injury in the asymptomatic patient after blunt trauma: prospective evaluation of 1193 patients. *J Trauma Acute Care Surg* 2018;84:128-132

Bisulli M, Gamberini E, Coccolini F, et al: Resuscitative endovascular balloon occlusion of vena cava: an option in managing traumatic vena cava injuries. *J Trauma Acute Care Surg* 2018;84:211-213

Blige S, Aydin A, Blige M, et al: A new perspective on life-saving procedures in battlefield setting: emergency cricothyroidotomy, needle thoracostomy, and chest tube thoracostomy with night vision goggles. *Ulus Travma Acil Cerrahi Derg* 2017;23:459-465

Boettner F, Rueckl K: Benefits of tranexamic acid not debatable but leave tourniquet use to surgeon's discretion: commentary on an article by ZeYu

Bordes J, Joubert C, Esnault P, et al: Coagulopathy and transfusion requirements in war related penetrating traumatic brain injury. A single centre study in a French role 3 medical treatment facility in Afghanistan. *Injury* 2017;48:1047-1053

Breeze J, Tong D, Gibbons A: Contemporary management of maxillofacial ballistic trauma. *Br J Oral Maxillofac Surg* 2017;55:661-665

Brown C, Teixeira P, Furay E, et al: Contemporary management of rectal injuries at Level I trauma centers: the results of an American Association for the Surgery of Trauma multi-institutional study. *J Trauma Acute Care Surg* 2018;84:225-233

Bunyasaranand J, Espino E, Rummings K, Christiansen G: Management of entrapped patient with a field amputation. *J Emerg Med* 2018;54:90-95

Callaway D: A review of the landscape: challenges and gaps in trauma response to civilian high threat mass casualty incidents. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Callaway D, Puciaty A, Robertson J, et al: Case report: life saving application of commercial tourniquet in pediatric extremity hemorrhage. *Prehosp Emerg Care* 2017;21:786-788

Campbell W, Li P, Whitman T, et al: Multidrug-resistant gram-negative infections in deployment-related trauma patients. *Surg Infect* 2017;18:357-367

Cannon J: Hemorrhagic shock. *N Engl J Med* 2018;378:370-379

Cannon K, Badiiee, J, Wallace J, et al: The prevalence of chronic deep venous thrombosis in trauma: implications for hospitals and patients. *J Trauma Acute Care Surg* 2018;84:170-174

Carabini L, Moreland N, Vealey R, et al: A randomized controlled trial of low-dose tranexamic acid versus placebo to reduce red blood cell transfusion during complex multilevel spinal fusion surgery. *World Neurosurg* 2017;Epub ahead of print

Carroll N, Restrepo C, Eastridge B, Stasik C: Left atrial thrombi following tranexamic acid in a bleeding trauma patient-A word of caution. *J Card Surg* 2018;Epub ahead of print

Chang R, Scerbo M, Schmitt K, et al: Early chemoprophylaxis is associated with decreased venous thromboembolism risk without concomitant increase in intraspinal hematoma expansion after traumatic spinal cord injury. *J Trauma Acute Care Surg* 2017;83:1088-1094

Chen X, Gestring M, Rosengart M, et al: Speen isn't everything: identifying patients who may benefit from helicopter transport despite faster ground transport. *J Trauma Acute Care Surg* 2017;Epub ahead of print

Chen Y, Han Y, August M, et al: Cricothyroid membrane puncture-guided tracheostomy: a new technique for emergency airway access. *J Oral Maxillofac Surg* 2018;Epub ahead of print

Clavier B, Pouget T, Sailliol A: Evaluation of a lateral flow-based technology card for blood typing using a simplified protocol in a model of extreme blood sampling conditions. *Transfusion* 2017;Epub ahead of print

Clemency B, Tanaka K, May P, et al: Intravenous vs. intraosseous access and return of spontaneous circulation during out of hospital cardiac arrest. *Am J Emerg Med* 2017;35:222-226

Cole J: Bolus-dose vasopressors in the emergency department: first, do no harm; second, more evidence is needed. *Ann Emerg Med* 2018;71:93-95

Cole J, Klein L, Nystrom P, et al: A prospective study of ketamine as primary therapy for prehospital profound agitation. *Am J Emerg Med* 2017;Epub ahead of print

Cook T: Strategies for the prevention of airway complications- a narrative review. *Anaesthesia* 2018;73:93-111

Cornelius B, McCarty K, Hylan K, et al: Tranexamic acid: promise or panacea: the impact of air medical administration of tranexamic acid on morbidity, mortality, and length of stay. *Adv Emerg Nurs J* 2018;40:37-35

Cowl C: Justifying hyperbaric oxygen delivery for carbon monoxide poisoning: time to respond to pressure with a large-scale randomized controlled trial. *Chest* 2017;152:911-913

Cox J, Rall J: Evaluation of XSTAT® and QuickClot® Combat Gauze® in a swine model of lethal junctional hemorrhage in coagulopathic swine. *J Spec Oper Med* 2017;17:64-67

D'Angelo M, Losch J, Smith B, et al: Expeditionary resuscitation surgical team: the US Army's initiative to provide damage control resuscitation and surgery to forces in austere settings. *J Spec Oper Med* 2017;17:76-79

Dalal D, Dubreuil M, Peloquin C, et al: Meloxicam and risk of myocardial infarction: a population-based nested case-control study. *Rheumatol Int* 2017;37:2071-2078

Daly S, Thorpe M, Rockswold S, et al: Hyperbaric oxygen therapy in the treatment of acute severe traumatic brain injury: a systematic review. *J Neurotrauma* 2017;Epub ahead of print

Daas B, Varshney R, Mitra S: A randomised controlled trail comparing ProSeal laryngeal mask airway, i-gel and Laryngeal Tube Suction-D under general anaesthesia for elective surgical patients requiring controlled ventilation. *Indian J Anaesth* 2017;61:972-977

David J, Bouzat P: Early fibrinogen-concentrate administration in management of trauma-induced coagulopathy. *Lancet Haematol* 2017;4:e348

Davidson A, Russo R, Reva V, et al: The pitfalls of resuscitative endovascular balloon occlusion of the aorta: risk factors and mitigation strategies. *J Trauma Acute Care Surg* 2018;84:192-202

Dawe P, Kirkpatrick A, Talbot M, et al: Tele-mentored damage-control and emergency trauma surgery: a feasibility study using live-tissue models. *Am J Surg* 2018;Epub ahead of print

Demetri L, Martinez Aguilar M, Bohnen J, et al: Is observation for traumatic hemothorax safe? *J Trauma Acute Care Surg* 2018;Epub ahead of print

Dhanda A, Singh S, Bhalotra A, Chavali S: Clinical comparison of i-gel supraglottic airway device and cuffed endotracheal tube for pressure-controlled ventilation during routine surgical procedures. *Turk J Anaesthesiol Reanim* 2017;45:270-276

Diebel M, Martin J, Liberati D, Diebel L: The temporal response and mechanism of action of tranexamic acid in endothelial glycocalyx degradation. *J Trauma Acute Care Surg* 2018;84:75-80

Dodd K, Driver B, Reardon R: Trauma patients presenting with a King laryngeal tube™ in place can be safely intubated in the emergency department. *Am J Emerg Med* 2017

Drake M: High flow nasal cannula oxygen in adults: an evidence-based assessment. *Ann Am Thorac Soc* 2017;Epub ahead of print

Dries D: Tranexamic acid: is it about time? *Lancet* 2017;Epub ahead of print

Dubé G, Pitman A, Mackenzie C: Relative efficacies of HBOC-201 and polyheme to increase oxygen transport compared to blood and crystalloids. 2017 military supplement. *Shock* 2017;Epub ahead of print

DuBose J, Martens D, Frament C, et al: Experience with prehospital damage control capability in modern conflict: results from surgical resuscitation team use. *J Spec Oper Med* 2017;17:68-71

Dufresne J, Hoang T, Ajambo J, et al: Freeze-dried plasma proteins are stable at room temperature for at least 1 year. *Clin Proteomics* 2017;14:35

Escott M, Bank E, Mehkri F, Monroe B: Blood therapy: considerations for using blood products for prehospital trauma patients. *JEMS* 2017;42:47-51

Evans C, Chaplin T, Zelt D: Management of major vascular injuries: neck, extremities, and other things that bleed. *Emerg Med Clin North Am* 2018;36:181-202

Fagg J, Acharya M, Chesser T, Ward A: The value of 'binder-off' imaging to identify occult unexpected pelvic ring injuries. *Injury* 2017;Epub ahead of print

Fedor P, Burns B, Lauria M, Richmond C: Major trauma outside a trauma center: prehospital, emergency department, and retrieval considerations. *Emerg Med Clin North Am* 2018;36:203-218

Feliciano D: For the patient- evolution in the management of vascular trauma. *J Trauma Acute Care Surg* 2017;83:1205-1212

Fernández E, Moreno-Luna R, Navas F, et al: Transverse cervicothoracic stabbing: multidisciplinary management of a surgical emergency. *Turk Arch Otorhinolaryngol* 2017;55:144-147

Floyd C, Padua R, Olson C: Hemostasis and safety of a novel fibrin dressing versus standard gauze in bleeding cancellous bone in a caprine spine surgery model. *Spine Deform* 2017;5:310-313

Frank B, Maher Z, Hazelton J, et al: Venous thromboembolism after major venous injuries: competing priorities. *J Trauma Acute Care Surg* 2017;83:1095-1101

Gall L, Davenport R: Fibrinolysis and antifibrinolytic treatment in the trauma patient. *Curr Opin Anaesthesiol* 2018;Epub ahead of print

Galvagno S, Mabry R, Maddry J, et al: Measuring US Army medical evacuation: metrics for performance improvement. *J Trauma Acute Care Surg* 2018;84:150-156

Garber K, Stewart B, Burkle F, et al: A framework for a battlefield trauma system for civilians. *Ann Surg* 2018;Epub ahead of print

Garrigue D, Godier A, Glacet A, et al: French lyophilized plasma versus fresh frozen plasma for the initial management of trauma induced coagulopathy: a randomized open-label trial. *J Thromb Haemost* 2017;Epub ahead of print

Geeraerts T, Velly L, Addenour L, et al: Management of severe traumatic brain injury (first 24 hours). *Anaesth Crit Care Pain Med* 2017;Epub ahead of print

Gerstein N, Deriy L, Patel P: Tranexamic acid use in cardiac surgery: hemostasis, seizures, or a little of both. *J Cardiothorac Vasc Anesth* 2017;Epub ahead of print

Ghodraty M, Rokhtabnak F, Dehghan H, et al: Crystalloid versus colloid fluids for reduction of postoperative ileus after abdominal operation under combined general and epidural anesthesia. *Surgery* 2017;162:11055-1065

Glaser J, Zeman J, Noble S, Fernandez N: CAVH in the combat environment: a case report and lessons learned in Southern Afghanistan. *Mil Med* 2018;183:e167-e171

Goutelle S, Valour F, Gagnieu M, et al: Population pharmacokinetics and probability of target attainment of ertapenem administered by subcutaneous or intravenous route patients with bone and joint infection. *J Antimicrob Chemother* 2017;Epub ahead of print

Grabo D, Strummwasser A, Remick K, Briggs S: A pilot registry of trauma surgeons willing and ready to respond to disasters. *J Trauma Acute Care Surg* 2018;84:393-396

Graham B, Graham L, Rose C, Winters J: How shall we transfuse Hippolyta? Am J Obstet Gynecol 2017;Epub ahead of print

Graham K, Moon-Massat P, Unger E: 2017 Military Supplement: Dodecafluoropentane emulsion (DDFPE) as a resuscitation fluid for treatment of hemorrhagic shock and traumatic brain injury: a review. Shock 2017;Epub ahead of print

Gupta A, Rattan A, Kumar S, Rathi V: Delayed tension pneumothorax-identification and treatment in traumatic bronchial injury: an interesting presentation. J Clin Diagn Res 2017;11:PD12-PD13

Gupta N, Hackla S, Bhagat V, et al: Cross-border firing and injury patterns. J Emerg Trauma Shock 2016;9:17-21

Hart D, Rush R, Rule G, et al: Training and assessing critical airway, breathing, and hemorrhage control procedures for trauma care: live tissue versus synthetic models. Acad Emerg Med 2017;Epub ahead of print

Häske D, Böttiger B, Bouillon B, et al: Analgesia in patients with trauma in emergency medicine. Dtsch Arztebl Int 2017;114:785-792

Hassen G, Clemons P, Kaplun M, Kalantari H: Is topical tranexamic acid a better alternative for selected cases of anterior epistaxis management in the emergency department? Am J Emerg Med 2018;Epub ahead of print

Haverkamp F, Giesbrecht G, Tan E: The prehospital management of hypothermia- an up-to-date overview. Injury 2017;Epub ahead of print

Hayakawa M, Maekawa K, Kushimoto S, et al: Hyperfibrinolysis in severe isolated traumatic brain injury may occur without tissue hypoperfusion: a retrospective observational multicenter study. Crit Care 2017;21:222

Hernandez M, Aho J, Zielinski M, et al: Definitive airway management after pre-hospital supraglottic airway insertion: outcomes and a management algorithm for trauma patients. Am J Emerg Med 2018;36:114-119

Herrera-Escobar J, Rios-Diaz A, Zogg C, et al: The “mortality ascent”: hourly risk of death for hemodynamically unstable trauma patients at Level II versus Level I trauma centers. J Trauma Acute Care Surg 2018;84:139-145

Heschl S, Andrew E, de Wit A, et al: Prehospital transfusion of red cell concentrates in a paramedic-staffed helicopter emergency medical service. Emerg Med Australas 2017;Epub ahead of print

Hess J, Ramos P, Sen N, et al: Quality management of a massive transfusion protocol. *Transfusion* 2017;Epub ahead of print

Hickman D, Pawlowski C, Sekhon U, et al: Biomaterial and advanced technologies for hemostatic management of bleeding. *Adv Mater* 2017;Epub ahead of print

Hifumi T, Kuroda Y, Kawakita K, et al: Therapeutic hypothermia in patients with coagulopathy following severe traumatic brain injury. *Scand J Trauma Resusc Emerg Med* 2017;25:120

Holzmacher J, Reynolds C, Patel M, et al: Platelet transfusion does not improve outcomes in patients with brain injury on antiplatelet therapy. *Brain Inj* 2018;32:325-330

Hornez E, Béranger F, Monchal T, et al: Management specificities for abdominal, pelvic, and vascular penetrating trauma. *J Visc Surg* 2017;Epub ahead of print

Howard J, Kotwal R, Santos-Lazada A, et al: Reexamination of a battlefield trauma golden hour policy. *J Trauma Acute Care Surg* 2017;84:11-18

Huang Z, Xie X, Li L, et al: Intravenous and topical tranexamic acid alone are superior to tourniquet use for primary total knee arthroplasty: a prospective, randomized controlled study. *J Bone Joint Surg Am* 2017;99:2053-2061

Hwang K, Kwon J, Cho J: Implementation of trauma center and massive transfusion protocol improves outcomes for major trauma patients: a study at a single institution in Korea. *World J Surg* 2017;Epub ahead of print

Hyldmo P, Horodyski M, Conrad B, et al: Does the novel lateral trauma position cause more motion in an unstable cervical spine injury than the logroll maneuver? *Am J Emerg Med* 2017;35:1630-1635

Inokuchi K, Sawano M, Yamamoto K, et al: Early administration of fibrinogen concentrates improves the short-term outcomes of severe pelvic fractures patients. *Acute Med Surg* 2017;4:271-277

Jannu A, Shekar A, Balakrishna R, et al: Advantages, disadvantages, indications, contraindications and surgical technique of laryngeal airway mask. *Arch Craniofac Surg* 2017;18:223-229

Jehan F, Azim A, Rhee P, et al: Decompressive craniectomy versus craniotomy only for intracranial hemorrhage evacuation: a propensity matched study. *J Trauma Acute Care Surg* 2017;83:1148-1153

Johnson D, Johnson C, Goobie S, et al: High-dose versus low-dose tranexamic acid to reduce transfusion requirements in pediatric scoliosis surgery. *J Pediatr Orthop* 2017;37:e552-e557

Kalkwarf K, Cotton B: Resuscitation for hypovolemic shock. *Surg Clin North Am* 2017;97:1307-1321

Kamarova M, Kendall R: Prophylactic antibiotics for penetrating injury: a review of practice at a major trauma centre, literature review and recommendations. *Emerg Med J* 2017;34:A869

Kang G, Youk H, Cha K, et al: Presence of chest tubes does not affect the hemodynamic efficacy of standard cardiopulmonary resuscitation. *J Intensive Care* 2017;5:71

Kelly G, Stewart R, Strouse J, Anders J: Intranasal fentanyl improves time to analgesic delivery in sickle cell pain crises. *Am J Emerg Med* 2017;Epub ahead of print

Keneally R, Szpisjak D, Hoffman P, et al: Vital signs and physiologic derangement in patients with thoracic trauma in Iraq and Afghanistan. *Mil Med* 2017;182:e1881-e1884

Kosequat J, Rush S, Simonsen I, et al: Efficacy on the mnemonic device "MARCH PAWS" as a checklist for paramedics during tactical field care and tactical evacuation. *J Spec Oper Med* 2017;17:80-84

Kotwal R, Scott L, Janak J, et al: The effect of prehospital transport time, injury severity, and blood transfusion on survival of US Military casualties in Iraq. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Kreutziger J, Lederer W, Schmid S, et al: Blood glucose concentrations in prehospital trauma patients with traumatic shock: a retrospective analysis. *Eur J Anaesthesiol* 2017;Epub ahead of print

Kuckelman J, Derickson M, Phillips C, et al: Evaluation of a novel thoracic entry device versus needle decompression in a tension pneumothorax swine model. *Am J Surg* 2018;Epub ahead of print

Kurnik N, Pflibsen L, Do A, et al: Craniostomy surgery and the impact of tranexamic acid dosing. *J Craniofac Surg* 2018;29:96-98

Kyle T, Greaves I, Beynon A, et al: Ionised calcium levels in major trauma patients who received blood en route to a military medical treatment facility. *Emerg Med J* 2017;Epub ahead of print

Lallemand M, Moe D, McClellan J, et al: No IV, No Problem: intraosseous administration of tranexamic acid is as effective as intravenous in a porcine hemorrhage model. *J Trauma Acute Care Surg* 2017;Epub ahead of print

Larson S, Delnat A, Moore J: The use of clinical cervical spine clearance in trauma patients: a literature review. *J Emerg Nurs* 2017;Epub ahead of print

Leatherman M, Fluke L, McEvoy C, et al: Bigger is better: comparison of alternative devices for tension hemopneumothorax and pulseless electrical activity in a Yorkshire swine model. *J Trauma Acute Care Surg* 2017;83:1187-1194

Lee D, Park Y, Kim H, et al: Early surgical decompression within 8 hours for traumatic spinal cord injury: is it beneficial? A meta-analysis. *Acta Orthop Tramadol Turc* 2017;Epub ahead of print

Leibowitz A, Brotfain E, Koyfman L, et al: Treatment of combined traumatic brain injury and hemorrhagic shock with fractionated blood products versus fresh whole blood in a rat model. *Eur J Trauma Emerg Surg* 2018;Epub ahead of print

Leng L: Hypothermia therapy after traumatic brain injury: a systematic review and meta-analysis. *Turk Neurosurg* 2017;Epub ahead of print

Letson H, Dobson G: Adenosine, lidocaine and Mg²⁺ (ALM) fluid therapy attenuates systemic inflammation, platelet dysfunction and coagulopathy after non-compressible truncal hemorrhage. *PLoS One* 2017;12:e0188144

Ley E, Leonard S, Barmparas G, et al: Beta blockers in critically in patients with traumatic brain injury: results from a multicenter, prospective, observational American Association for the Surgery of Trauma study. *J Trauma Acute Care Surg* 2018;84:234-244

Lim G, Harper-Kirksey K, Parekh R, Manini A: Efficacy of a massive transfusion protocol for hemorrhagic trauma resuscitation. *Am J Emerg Med* 2017;Epub ahead of print

Linde A, Caridha J, Kunkler K: Skills decay in military medical training: a meta-synthesis of research outcomes. *Mil Med* 2018;183:e40-e44

Lindsay E: RE: Impact of volume change over time of trauma mortality in the United States. *J Emerg Med* 2017;53:783

Liu M, Li F, Han Y, et al: Administration of fentanyl via a slow intravenous fluid line compared with rapid bolus alleviates fentanyl-induced cough during general anesthesia induction. *J Zhejiang Univ Sci B* 2017;18:955-962

Loftus A, Morris R, Friedmann Y, et al: Combat Trousers as effective improvised pelvic binder a comparative cadaveric study. *J Spec Oper Med* 2017;17:35-39

Long B, Koyfman A: Secondary gains: advances in neurotrauma management. *Emerg Med Clin North Am* 2018;36:107-133

Maddy J, Mora A, Savell S, et al: Impact of Critical Care Air Transport Team (CCATT) ventilator management on combat mortality. *J Trauma Acute Care Surg* 2018;84:157-164

Maher P, Utarnachitt R, Louzon M, et al: Logistical concerns for prehospital blood product use by air medical services. *Air Med J* 2017;36:263-267

Malgras B, Prunet B, Lesaffre X, et al: Damage control: concept and implementation. *J Visc Surg* 2017;154:S19-S29

Malhotra R, Chua W, O'Neill G: Calf compartment syndrome associated with the use of an intraosseous line in an adult patient: a case report. *Malays Orthop J* 2016;10:49-51

Manley N, Fabian T, Sharpe J, et al: Good news, bad news: an analysis of 11,294 gunshot wounds (GWSs) over two decades in a single center. *J Trauma Acute Care Surg* 2018;84:58-65

March J, Tassej T, Resurreccion N, et al: Comparison of the I-Gel supraglottic and King LT laryngotracheal airways in a simulated tactical environment. *Prehosp Emerg Care* 2018;24:1-5

McLaughlin A, Colyer M, Ryan D, et al: Self-reported visual quality of life after combat ocular trauma. *Mil Med* 2017;182:239-242

McLennan J, Mackway-Jones J, Smith J: Prediction of massive blood transfusion in battlefield trauma: development and validation of the military acute severe haemorrhage (MASH) score. *Injury* 2017; *Injury* 2017; Epub ahead of med

McNarry A, Patel A: The evolution of airway management- new concepts and conflicts with traditional practice. *Br J Anaesth* 2017;119:i154-i166

McQuilten Z, Crighton G, Bunskill S, et al: Optimal dose, timing and ratio of blood products in massive transfusion: results from a systematic review. *Transfus Med Rev* 2018

Meizoso J, Dudaryk R, Mulder M, et al: Increase risk of fibrinolysis shutdown among severely injured trauma patients receiving tranexamic acid. *J Trauma Acute Care Surg* 2018; Epub ahead of print

Melville L, Shah K: Is antiplatelet therapy an independent risk factor for traumatic intracranial hemorrhage in patients with mild traumatic brain injury? *Ann Emerg Med* 2017;70:910-1

Mercurio I, Capano D, Torre R, et al: A case of fatal cerebral air embolism after blunt lung trauma: postmortem computed tomography and autopsy findings. *Am J Forensic Med Pathol* 2017;Epub ahead of print

Mikals S, Jabaut J, Ambrosio A: Head and neck surgical reconstruction in Operation Iraqi Freedom and Operation Enduring Freedom-Afghanistan: a systematic review. *Ear Nose Throat J* 2017;96:E25-E30

Moe D, Lallemand M, McClellan J, et al: Three-versus four-factor prothrombin complex concentrates for "factor-based" resuscitation in a porcine hemorrhagic shock model. *J Trauma Acute Care Surg* 2017;83:1114-1123

Moser B, Audigé L, Keller C, et al: A prospective, randomised trial of the Ambu Auragain laryngeal mask versus the LMA protector airway in paralysed, anaesthetised adult men. *Minerva Anestesiol* 2017;Epub ahead of print

Mu J, Liu D, Ji D, et al: Determination of pneumatic tourniquet pressure of lower limb by ultrasonic Doppler. *Ann Plast Surg* 2017;Epub ahead of print

Murphy S, Hawthorne N, Haase D, et al: Low yield of clinically significant injury with head-to-pelvis computed tomography in blunt trauma evaluation. *J Emerg Med* 2017;53:865-870

Najafi Z, Zakeri H, Mirhaghi A: The accuracy of acuity scoring tools to predict 24-h mortality in traumatic brain injury patients: a guide to triage criteria. *Int Emerg Nurs* 2018;36:27-33

Nathan N: From foundation to demolition: the influence of perioperative tranexamic acid. *Anesth Analg* 2018;126:373

Naumann D, Hancox J, Raitt J: What fluids are given during air ambulance treatment of patients with trauma in the UK, and what might this mean for the future? Results from the RESCUER observational cohort study. *BMJ Open* 2018;8:e019627

Nguyen C, Bordes J, Cungi P, et al: Use of French lyophilized plasma transfusion in severe trauma patients is associated with an early plasma transfusion and early transfusion ratio improvement. *J Trauma Acute Care* 2018;Epub ahead of print

Nikolian V, Dekker S, Bambakidis T, et al: Improvement of blood-brain barrier integrity in traumatic brain injury and hemorrhagic shock following treatment with valproic acid and fresh frozen plasma. *Crit Care Med* 2018;46:e59-e66

Nikolian V, Georgoff P, Pai M, et al: Valproic acid decreases brain lesion size and improves neurologic recovery in swine subjected to traumatic brain injury, hemorrhagic shock, and polytrauma. *J Trauma Acute Care Surg* 2017;83:1066-1073

Nugent W, Cestero R, Ward K, et al: Effects of Sanguinate® on systemic and microcirculatory variables in a model of prolonged hemorrhagic shock. *Shock* 2017;Epub ahead of print

Nunez R, Naranjo M, Ordoñez C: Indication and survival bias: threats to resuscitative endovascular balloon occlusion of the aorta outcomes research. *J Trauma Acute Care Surg* 2018;84:214

Ojo O, Poluyi E, Owolabi B, et al: Surgical decompression for traumatic spinal cord injury in a tertiary center. *Niger J Clin Pract* 2017;20:1455-1460

Otten E, Montgomery H, Butler F: Extraglottic airways in Tactical Combat Casualty Care: TCCC Guidelines Change 17-01 28 August 2017

Ou Y, Wei J, Li R, et al: Clinical research of combined intravenous administration and topical application of tranexamic acid to a surgical wound during posterior lumbar fusion. *Surg Innov* 2018;Epub ahead of print

Pace J, Arntfield R: Focused assessment with sonography in trauma: a review of concepts and considerations for anesthesiology. *Can J Anaesth* 2017;Epub ahead of print

Pairaudeau C, Mendonca C, Hillermann C, et al: Effect of palpable vs. impalpable cricothyroid membranes in a simulated emergency front-of-neck access scenario. *Anaesthesia* 2018;Epub ahead of print

Pajuelo Castro J, Meneses Pardo C, Salinas Casado P, et al: "Evita una muerte. Está en tus manos" program. *Mil Med* 2017;17:133-137

Parikh S, Parekh S, Doshi C, Vyas V: Proseal laryngeal mask airway versus cuffed endotracheal laparoscopic surgical procedures under general anesthesia: a random comparative study. *Anesth Essays Res* 2017;11:958-963

Parker M, Khasawneh M, Thiels C, et al: Prehospital transfusion for gastrointestinal bleeding. *Air Med J* 2017;36:315-319

Passias P, Poorman G, Segreto F, et al: Traumatic fractures of the cervical spine: analysis of changes in incidence, etiology, concurrent injuries and complications among 488,262 patients from 2005-2013. *World Neurosurg* 2017;Epub ahead of print

Pati S, Peng Z, Wataha K, et al: Lyophilized plasma attenuates vascular permeability, inflammation and lung injury in hemorrhagic shock. *PLoS One* 2018;13:e0192363

Pavoni V, Giancesello L, Di Giacinto I, Sorbello M: The search for perfect supraglottic airway device: but I still haven't found what I am looking for. *Minerva Anestesiologica* 2017;Epub ahead of print

Paydar S, Khalili H, Sabetian G, et al: Comparison of the impact of applications of targeted transfusion protocol and massive transfusion protocol in trauma patient. *Korean J Anesthesiology* 2017;70:626-632

Pei Y, Song Y, Yu M: A new approach to organization and implementation of military reform and modern warfare in the Chinese Army. *Mil Med* 2017;182:e1819-e1823

Penn-Barwell J, Bishop J, Midwinter M: Refining the trauma and injury severity score (TRISS) to measure the performance of the UK combat casualty care system. *Mil Med* 2018;Epub ahead of print

Peters J, Smulders P, Moors X, et al: Are on-scene blood transfusions by a helicopter emergency medical service useful and safe? A multicenter case-control study. *Eur J Emerg Med* 2017;Epub ahead of print

Pieracci F, Coleman J, Ali-Osman F, et al: A multicenter evaluation of the optimal timing of surgical stabilization of rib fractures. *J Trauma Acute Care Surg* 2018;84:1-10

Pikoulis E, Salem K, Avgerinos E, et al: Damage control for vascular trauma from the prehospital to the operating room setting. *Front Surg* 2017;4:73

Phillips J, Mohorn P, Bookstaver R, et al: Hemostatic management of trauma-induced coagulopathy. *Crit Care Nurse* 2017;37:37-47

Planchon J, Vacher A, Comblet J, et al: Serious game training improves performance in combat life-saving interventions. *Injury* 2018;49:86-92

Plurad D, Chiu W, Raja A, et al: Monitoring modalities and assessments of fluid status: a practice management guideline from the Eastern Association for the Surgery of Trauma. *J Trauma Acute Care Surg* 2018;84:37-49

Polat O, Oguz A, Eneyli M, et al: Applied anatomy for tibial intraosseous access in adults: a radioanatomical study. Clin Anat 2017;Epub ahead of print

Pourshahrestani S, Kadri N, Zeimaran E, et al: Comparative efficacy of hemorrhage control of a novel mesoporous bioactive glass versus two commercial hemostats. Biomed Mater 2017;Epub ahead of print

Požgain Z, Kristek D, Lovrić I, et al: Pulmonary contusions after blunt chest trauma: clinical significance and evaluation of patient management. Eur J Trauma Emerg Surg 2017;Epub ahead of print

Prabhakaran K, Petrone P, Lambardo G, et al: Mortality rates of severe traumatic brain injury patients: impact of direct versus nondirect transfers. J Surg Res 2017;219:66-71

Pruskowski K, Harbourt K, Pajoumand M, et al: Impact of ketamine use on adjunctive analgesic and sedative medications in critically ill trauma patients. Pharmacotherapy 2017;Epub ahead of print

Purcell R, Donohue M, Saxena S, et al: Combat-related acetabular fractures: outcomes of open versus closed injuries. Injury 2017;Epub ahead of print

Reade M, Brennan L: Do austere surgical units belong on a mature battlefield? A critique of the evidence. Injury 2017;Epub ahead of print

Reynolds C, Celio A, Bridges L, et al: REBOA for the IVC? Resuscitative balloon occlusion of the inferior vena cava (REBOVC) to abate massive hemorrhage in retrohepatic vena cava injuries. J Trauma Acute Care Surg 2017;83:1041-1046

Rhee P: 'The modified veress needle (mVN) for tension pneumothorax'. J Trauma Acute Care Surg 2018; Epub ahead of print

Roberts D, Shaw A: Impact of volume status and volume therapy on the kidney. Best Pract Res Clin Anaesthesiol 2017;31:345-352

Roberts H, Osborn P, Wood T, et al: Being prepared for the next conflict: a case analysis of a military level 1 trauma center. Mil Med 2017;182:e1681-e1687

Roberts J, Niu J, Pastor-Cervantes J: Comparison of hemostasis times with a kaolin-based hemostatic pad (QuikClot Radial) vs mechanical compression (TR Brand) following transradial access: a pilot prospective study. J Invasive Cardiol 2017;29:328-334

Robinson B, Cohen M, Holcomb J, et al: Risk factors for the development of acute respiratory distress syndrome following hemorrhage. Shock 2017;Epub ahead of print

Ross E, Mapp J, Redman T, et al: The tourniquet gap: a pilot study of the intuitive placement of three tourniquet types by laypersons. *J Emerg Med* 2017;Epub ahead of print

Samuels J, Moore H, Moore E: Damage control resuscitation. *Chirurgia* 2017;112:514-523

Sanak T, Brzozowski R, Dabrowski M, et al: Evaluation of tourniquet application in a simulated tactical environment. *Ulus Travma Acil Cerrahi Derg* 2018;2018;24:9-15

Saporito F, Sandri G, Rossi S, et al: Freeze dried chitosan acetate dressings with glycosaminoglycans and tranexamic acid. *Carbohydr Polym* 2018;184:408-417

Sanders S, Tien H, Callum J, et al: Fibrinogen concentrate in the special operations forces environment. *Mil Med* 2018;183:e45-e50

Scerbo M, Holcomb J, Taub E, et al: The trauma center is too late: major limb trauma without a pre-hospital tourniquet has increased death from hemorrhagic shock. *J Trauma Acute Care Surg* 2017;83:1165-1172

Scharonow M, Alberding T, Oltmanns W, Weilbach C: Project for the introduction of prehospital analgesia with fentanyl and morphine administered by specially trained paramedics in a rural service area in Germany. *J Pain Res* 2017;10:2595-2599

Schauer S, April M, Cunningham C, et al: Prehospital cricothyrotomy kits used in combat. *J Spec Oper Med* 2017;17:18-20

Schauer S, April M, Naylor J, et al: Prehospital administration of tranexamic acid by ground forces in Afghanistan: the prehospital trauma registry experience. *J Spec Oper Med* 2017;17:55-58

Schauer S, D Fernandez J, L Roper J, et al: A randomized cross-over study comparing surgical cricothyrotomy techniques by combat medics using a synthetic cadaver model. *Am J Emerg Med* 2017;Epub ahead of print

Schauer S, Mora A, Maddry J, Berbarta V: Multicenter, prospective study of prehospital administration of analgesia in the U.S. Combat Theater of Afghanistan. *Prehosp Emerg Care* 2017;21:744-749

Schauer S, Naylor J, Hill G, et al: Association of prehospital intubation with deceased survival among pediatric trauma patients in Iraq and Afghanistan. *Am J Emerg Med* 2017;Epub ahead of print

Scheid P, Balczun C: Failure of molecular diagnostic of keratitis-inducing *Acanthamoeba* strain. *Exp Parasitol* 2017;183:236-239

Schellenberg M, Inaba K: Critical decisions in the management of thoracic trauma. *Emerg Med Clin North Am* 2018;36:135-147

Schieren M, Egyed E, Hartmann B, et al: Airway management by laryngeal mask airway for cervical tracheal resection and reconstruction: a single-center retrospective analysis. *Anesth Analg* 2017;Epub ahead of print

Schiller A, Howard J, Lye K, et al: Comparisons of traditional metabolic markers and compensatory reserve as early predictors to tolerance to central hypovolemia in humans. *Shock* 2017;Epub ahead of print.

Seol S, Lee W, Woo S, et al: Management of right main bronchial rupture with a double lumen endotracheal tube in a patient with blunt chest trauma. *Clin Exp Emerg Med* 2017;4:250-253

Shackford S, Dunne C, Karmy-Jones R, et al: The evolution of care improves outcome in blunt thoracic aortic injury: A Western Trauma Association multicenter study. *J Trauma Acute Care Surg* 2017;83:1006-1013

Sharayah A, Unnikrishnan D, Shukla P, Livornese D: Tension pneumothorax and diffuse subcutaneous emphysema as a complication of cardiopulmonary resuscitation. *BMJ Case Rep* 2017;Epub ahead of print

Sheppard F, Mitchell T, Macko A, et al: Whole blood and hextend: bookends of modern tactical combat casualty field resuscitation and starting point for multi-functional resuscitation fluid development. *J Trauma Acute Care Surg* 2017;Epub ahead of print

Shinkawa T, Holloway J, Tang X, et al: Experience using kaolin-impregnated sponge to minimize perioperative bleeding in Norwood operation. *World J Pediatr Congenit Heart Surg*.8:475-479

Sidwell R, Spilman S, Huntsman R, Pelaez C: Efficient hemorrhage control skills training for healthcare employees. *J Am Coll Surg* 2017;Epub ahead of print

Sigal A, Martin A, Ong A: Availability and use of hemostatic agents in prehospital trauma patients in Pennsylvania translation from the military to the civilian setting. *Open Access Emerg Med* 2017;9:47-52

Singh A, Verma A, Kumar S: Cerebral air embolism secondary to lung laceration. *Indian J Crit Care Med* 2017;21:783-785

Skube M, Witthuhn S, Mulier K, et al: Assessment of prehospital hemorrhage and airway care using a simulation model. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Smischney N, Seisa M, Heise K, et al: Predictors of arterial desaturation during intubation: a nested case-control study of airway management- part 1. *J Thorac Dis* 2017;9:3996-4005

Smith S, Devine M, Taddeo J, McAlister V: Injury profile suffered by targets of antipersonnel improvised explosive devices: prospective cohort study. *BMJ Open* 7:e014697

Spinella P, Cap A: Prehospital hemostatic resuscitation to achieve zero preventable deaths after traumatic injury. *Curr Opin Hematol* 2017;24:529-535

Stockinger Z, Turner C, Gurney J: Abdominal trauma surgery during recent U.S. combat operations 2002-2016. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Studer N, April M, Bowling F, et al: Albumin for prehospital fluid resuscitation of hemorrhagic shock in tactical combat casualty care. *J Spec Oper Med* 2017;17:82-88

Swieton J, Hawes R, Avery S, et al: A transfusion prescription template and other human factors interventions to improve balanced transfusion delivery in major haemorrhage due to trauma. *Transfus Med* 2018;Epub ahead of time

Takada H, Hifumi T, Yoshioka H, et al: Initial inferior vena cava diameter predicts massive transfusion requirements in blunt trauma patients: a retrospective cohort study. *Am J Emerg Med* 2017;Epub ahead of print

Tallman C, Darracq M, Young M: Analysis of intraosseous blood samples using an EPOC point of care analyzer during resuscitation. *Am J Emerg Med* 2017;35:499-501

Taylor J, Fox E, Holcomb J, et al: The hyperfibrinolytic phenotype is the most lethal and resource intense presentation of fibrinolysis in massive transfusion patients. *J Trauma Acute Care Surg* 2018;84:25-30

Te Grotenhuis R, van Grunsven P, Heutz W, Tan E: Use of hemostatic nasal plugs in emergency medical services in the Netherlands: a prospective study of 33 cases. *Prehosp Emerg Care* 2018;22:91-98

Ten Brinke J, Gebbink W, Pallada L, et al: Value of prehospital assessment of spine fracture by paramedics. *Eur J Trauma Emerg Surg* 2017;Epub ahead of print

Tignanelli C, Joseph B, Jakubus J, et al: Variability in management of blunt liver trauma and contribution of level of American College of Surgeons Committee of Trauma verification status on mortality. *J Trauma Acute Care Surg* 2018;84:273-279

Tignanelli C, Vander Kolk W, Mikhail J, et al: Noncompliance with American College of Surgeons Committee on Trauma recommended criteria for full trauma team activation is associated with undertriage deaths. *J Trauma Acute Care Surg* 2018;84:287-294

Tran A, Yated J, Lau A, et al: Permissive hypotension vs. conventional resuscitation strategies in adult trauma patients with hemorrhagic shock: a systematic review and meta-analysis of randomized controlled trials. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Tsao J, Stentz L, Rouhanian M, et al: Effect of concussion and blast exposure on symptoms after military deployment. *Neurology* 2017;89:2010-2016

Ueshima H, Otake H: Emergency insertion of the LMA predictor airway in patients in the lateral position. *J Clin Anesth* 2017;Epub ahead of print

Utarnachitt R: Survival from prolonged cardiac arrest in the wilderness. *Air Med J* 2017;36:296-297

Van Gent J, Calvo R, Zander A, et al: Risk factors for deep vein thrombosis and pulmonary embolism after traumatic injury: a competing risks analysis. *J Trauma Acute Care Surg* 2017;83:1154-1160

Vasterling J, Jacob S, Rasmusson A: Traumatic brain injury and posttraumatic stress disorder: conceptual diagnostic, and therapeutic considerations in the context of co-occurrence. *J Neuropsychiatry Clin Neurosci* 2017;Epub ahead of print

Veljanoski D, Grier G, Wilson M: Counting the cost of cervical collars. *Prehosp Disaster Med* 2017;Epub ahead of print

Velopulos C, Shihab H, Lottenberg L, et al: Prehospital spine immobilization/spinal motion restriction in penetrating trauma: a practice management guideline from the Eastern Association for the Surgery of Trauma (EAST). *J Trauma Acute Care Surg* 2017;Epub ahead of print

Vitalis V, Carfantan C, Montcriol A, et al: Early transfusion on battlefield before admission to role 2: a preliminary observational study during "Barkhane" operation in Sahel. *Injury* 2017;Epub ahead of print

Vuillemin Q, Schwartzbrod P, Pasquier P, et al: Influence of personality traits on the effective performance of lifesaving interventions: example of the tourniquet application in forward combat casualty care. *Mil Med* 2018;183:e95-e103

Wall P, Buising C, Nelma D, et al: Effects of distance between paired tourniquets. *Mil Med* 2017;17:37-44

Waller C, Cogbill T, Kallies K, et al: Contemporary management of subclavian and axillary artery injuries- A Western Trauma Association multicenter review. *J Trauma Acute Care Surg* 2017;83:1023-1031

Walsh M, Shreve J, Thomas S: The value of cold storage whole blood platelets in trauma resuscitation is like real estate: a function of "location, location, location". *Br J Haematol* 2017;179:699-702

Wang W, Yu J: Tranexamic acid reduces blood loss in intertrochanteric fractures: a meta-analysis from randomized controlled trials. *Medicine* 2017;96:e9396

Weant K, Linder L, Ross C: Ketamine for the acute management of excited delirium and agitation in the prehospital setting. *Pharmacotherapy* 2017;Epub ahead of print

Wen C, Xue F, Li H, Liu Y: Is postintubation hypotension really a determinant of increased mortality in traumatic patients? *J Trauma Acute Care Surg* 2018;84:216

Wu X, Darlington D, Montgomery R, et al: Platelets derived from fresh and cold-stored whole blood participate in clot formation in rats with acute traumatic coagulopathy. *Br J Haematol* 2017;Epub ahead of print

Xiang L, Kelmcke H, Ryan K: The live-saving effect of "adenosine, lidocaine, and magnesium" cocktail during hypovolemic shock: one stone, three birds? *J Trauma Acute Care Surg* 2018;84:215-216

Yang C, Xu X, He G: Efficacy and feasibility of opioids for burn analgesia: an evidence-based qualitative review of randomized controlled trials. *Burns* 2017;Epub ahead of print

Yang J, Yin W, Zhang Y, et al: Evaluation of the advantages of platelet concentrations stored at 4°C versus 22°C. *Transfusion* 2017;Epub ahead of print

Yazer M, Spinella P: Activities of the THOR-AABB working party. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Yazer M, Cap A, Spinella P: Raising the standards on whole blood. *J Trauma Acute Care Surg* 2017;Epub ahead of print

Younis M, Ray-Zack M, Haddad N, et al: Prothrombin complex concentrate reversal of coagulopathy in emergency general surgery patients. *World J Surg* 2018;Epub ahead of print

Zahed R, Mousavi Jazayeri M, Naderi A, et al: Topical tranexamic acid compared with anterior nasal packing for treatment of epistaxis in patients taking antiplatelet drugs: randomized controlled trial. *Acad Emerg Med* 2017;Epub ahead of print

Zhang M, Cowan T, Smiles J, et al: Prehospital analgesic choice in injured patients does not impact on rates of vomiting: experience for a New South Wales primary retrieval service. *Emerg Med Australas*;Epub ahead of print

Zhao C, Zhang B, Shi J, et al: Spontaneous reduction of fractured thoracolumbar spine with complete dislocation: care report with literature review. *Orthop Nurs* 2017;36:350-355

Zielińska D, Struszczyk M, Madej-Kielbik L, et al: Design of new-generation usable forms of topical haemostatic agents containing chitosan. *Molecules* 2017;22: pii:E2240