

TCCC Journal Watch

May 2018

Abou El Fadl M, O'Phelan K: Management of traumatic brain injury: an update. *Neurosurg Clin N Am* 2018;29:213-221

Abraham P, Russell D, Huffman S, et al: Army combat medic resilience: the process of forging loyalty. *Mil Med* 2018;183:364-370

Adravanti P, Di Salvo E, Calafiore G, et al: A prospective, randomized, comparative study of intravenous alone and combine intravenous and intraarticular administration of tranexamic acid in primary total knee replacement. *Arthroplast Today* 2017;4:85-88

Aggarwal N, Brower R, Hager D, et al: Oxygen exposure resulting in arterial oxygen tensions above the protocol goal was associated with worse clinical outcomes in acute respiratory distress syndrome. *Crit Care Med* 2018;46:517-524

Agimi Y, Regasa L, Ivins B, et al: Role of Department of Defense policies in identifying traumatic brain injuries among deployed US Service members 2001-2016.

Aiolfi A, Benjamin E, Recinos G, et al: Air versus ground transportation in isolated severe head trauma: a national trauma bank study. *J Emerg Med* 2018;54:328-334

Aji Y, Apriawan T, Bajamal A: Traumatic supra- and infra-tentorial extradural hematoma: case series and literature review. *Asian J Neurosurg* 2018;13:453-457

Akbari E, Safari S, Hatamabadi H: The effect of fibrinogen concentrate and fresh frozen plasma on the outcome of patients with acute traumatic coagulopathy: a quasi-experimental study. *Am J Emerg Med* 2018;Epub ahead of print.

Aries M, Donnelly J: Brain oxygenation optimization after severe traumatic brain injury: an ode to preventing brain hypoxia. *Crit Care Med* 2018;46:e350
Armstrong R: Visual problems associated with traumatic brain injury. *Clin Exp Optom* 2018;Epub ahead of print

Arora M, Singh S, Gupta V, et al: Comparing the efficacy of intravenous or intra-articular tranexamic acid in reducing blood loss in simultaneous bilateral knee replacement surgery without the use of tourniquet. *Eur J Orthop Surg Traumatol* 2018;Epub ahead of print

Aurora A, Roe J, Umoh N, et al: Fresh whole blood resuscitation does not exacerbate skeletal muscle edema and long-term functional deficit after ischemic injury and hemorrhagic shock. *J Trauma Acute Care Surg* 2018;84:786-794

Aydin A, Bilge S, Aydin C, et al: The success of endotracheal intubation with a modified laryngoscope using night vision goggles. *Ulus Travma Acil Cerrahi Derg* 2018;24:97-103

Bakhshayesh Weidenhielm L, Enocson A: Factors affecting mortality and reoperations in high-energy pelvic fractures. *Eur J Orthop Surg Traumatol* 2018;Epub ahead of print

Barry R, Thompson E: Outcomes after rib fractures in geriatric blunt trauma patients. *Am J Surg* 2018;Epub ahead of print

Baxter J, Cranfield K, Clark G, et al: Do lactate levels in the emergency department predict outcome in adult trauma patients? A systematic review. *J Trauma Acute Care Surg* 2016;81:555-566

Bayramov D, Li Z, Patel E, et al: A novel peptide-based antimicrobial wound treatments is effective against biofilms of multi-drug resistant wound pathogens. *Mil Med* 2018;183:481-486

Benjamin E, Khor D, Cho J, et al: The age of undertriage: current trauma triage criteria underestimate the role of age and comorbidities in early mortality. *J Emerg Med* 2018;Epub ahead of print

Benov A, Antebi B, Wenke J, et al: Antibiotic treatment- what can be learned from point of injury experience? *Mil Med* 2018;183:466-471

Blackburn M, April M, Brown C, et al: Prehospital airway procedures performed in trauma patients by ground forces in Afghanistan. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Blackman V, Walrath B, Reeves L, et al: En route care provided by US Navy nurses in Iraq and Afghanistan. *Crit Care Nurse* 2018;38:e1-e6

Bogdan Y, Helfet D: Use of tourniquets in limb trauma surgery. *Orthop Clin North Am* 2018;49:157-165

Boussen S, Lagier D, Velly L, Bruder N: Brain oxygen optimization in severe traumatic brain injury and outcome. *Crit Care Med* 2018;46:e349-e360

Boutonnet M, Abback P, Le Saché F, et al: Tranexamic acid in severe trauma patients managed in a mature trauma care system. *J Trauma Acute Care Surg* 2016;Epub ahead of print

Braxton S, Medeiros R, Abuzeid A, et al: Implementation of a massive transfusion protocol: evaluation of its use and efficacy. *J Trauma Nurs* 2018;25:92-97

Butler W, Steinkraus L, Burlingame E, et al: Clinical impact of cabin altitude restriction following aeromedical evacuation. *Mil Med* 2018;183:193-202

Cannon J, Mason P, Batchinsky A: Past and present of EMCO in combat casualty care: how far will we go? *J Trauma Acute Care Surg* 2018;Epub ahead of print

Cannon J, Neff L, Pidcock H, et al: The evolution of pediatric transfusion practice during combat operations 2001-2013. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Cansancao A, Condé-Green A, David J, et al: Use of tranexamic acid to reduce blood loss in liposuction. *Plast Reconstr Surg* 2018;141:1132-1135

Caputo N, Fraser R, Paliga A, et al: Triage vital signs do not correlate with serum lactate or base deficit, and are less predictive of operative intervention in penetrating patients: a prospective cohort study. *Emerg Med J* 2013;30:546-550

Caputo N, Reilly J, Kanter M, et al: A retrospective analysis of the respiratory adjusted shock index to determine the presence of occult shock in trauma patients. *J Trauma Acute Care Surg* 2018;84:674-678

Cetinkaya R, Yenilmez E, Petrone P, et al: Platelet-rich plasma as an additional therapeutic option for infected wounds with multi-drug resistant bacteria: in vitro antibacterial activity study. *Eur J Trauma Emerg Surg* 2018;Epub ahead of print

Chalela J, Britell P: Tactical Neurocritical Care. *Neurocrit Care* 2018;Epub ahead of print

Chen X, Gestring M, Rosengart M, et al: Speed is not everything: identifying patients who may benefit from helicopter transport despite faster ground transport. *J Trauma Acute Care Surg* 2018;84:549-557

Chreiman K, Dumas R, Seamon M, et al: The intraosseous have it: a prospective observational study of vascular access rates in patients in extremis using video review. *J Trauma Acute Care Surg* 2018;84:558-563

Christensen P: Medicine on the edge of darkness. *J Spec Oper Med* 2018;18:150-154

Chronopoulos A, Ong J, Thumann G, Schutz J: Occult globe rupture: diagnostic and treatment challenge. *Surv Ophthalmol* 2018;Epub ahead of print

Cunningham A, Auerbach M, Cicero M, Jafri M: Tourniquet usage in pre-hospital care and resuscitation of pediatric trauma patients- Pediatric Trauma Society position statement. *J Trauma Acute Care Surg* 2018;Epub ahead of print

David J, Wey P, Peyrefitte S: RE: Prehospital blood product transfusion and combat injury survival. *JAMA* 2018;319:1166-1168

DeForest C, Blackman V, Alex J, et al: An evaluation of navy en route care training using a high-fidelity medical simulation scenario of interfacility patient transport. *Mil Med* 2018;Epub ahead of print

Demetri L, Martinez Aguilar M, Bohnen J, et al: Is observation for traumatic hemothorax safe? *J Trauma Acute Care Surg* 2018;84:454-458

Dhimar A, Sangada B, Upadhyay M, Patel S: I-Gel versus laryngeal mask airway (LMA) classic as a conduit for tracheal intubation using ventilating bougie. *J Anaesthesiol Clin Pharmacol* 2017;33:467-472

Dickson J, Wang X, St John A, et al: Damage control resuscitation supplemented with vasopressin in a severe polytrauma model with traumatic brain injury and uncontrolled internal hemorrhage. *Mil Med* 2018;Epub ahead of print

Dobson G, Doma K, Letson H: Clinical relevance of a p value: does tranexamic acid save lives after trauma or postpartum hemorrhage? *J Trauma Acute Care Surg* 2018;84:532-536

Dodge M, Thompson D, Bank E, et al: Whole blood in EMS may save lives. *JEMS* 2018; Feb 2018

Duggan L, Lockhart S, Cook T, et al: The airway app: exploring the role of smartphone technology to capture emergency front-of-neck airway experience internationally. *Anaesthesia* 2018;Epub ahead of print

Einarsen C, van der Naalt J, Jacobs B, et al: Moderate traumatic brain injury: clinical characteristics and a prognostic model of 12 month outcome. *World Neurosurg* 2018;Epub ahead of print

Eisenberg M, Mannix R: Acute concussion making the diagnosis and state of the art management. *Curr Opin Pediatr* 2018; Epub ahead of print

El-Menyar A: Beta blockers therapy in traumatic brain injury: is it the time to disclose the brain-cardiac interactions? *J Trauma Acute Care Surg* 2018;Epub ahead of print

El-Menyar A, Sathian B, Asim M, et al: Efficacy of prehospital administration of tranexamic acid in trauma patients: a meta-analysis of the randomized controlled trials. *Am J Emerg Med* 2018;Epub ahead of print

El Zahran T, El Sayed M: Prehospital ultrasound in trauma: a review of current and potential future clinical application. *J Emerg Trauma Shock* 2018;11:4-9

Eliassen H, Hervig T, Backlund S, et al: Immediate effects of blood donation on physical and cognitive performance- a randomized controlled double blinded trial. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Faulconer E, Branco B, Loja M, et al: Use of open and endovascular surgical techniques to manage vascular injuries in the trauma settings: a review of the American Association for the Surgery of Trauma PROspective Observational Vascular Injury Trial Registry. *J Trauma Acute Surg Care* 2018;84:411-417

Feenstra T, Dickoff C, Deunk J: Systematic review and meta-analysis of tube thoracostomy following traumatic chest injury; suction versus water seal. *Eur J Trauma Emerg Surg* 2018;Epub ahead of print

Ferencz S, Davidson A, Howard J, et al: Coagulopathy and mortality in combat casualties: do the kidneys play a role? *Mil Med* 2018;183:34-39

Fillingham Y, Ramkumar D, Jevsevar D, et al: The safety of tranexamic acid in total joint arthroplasty: a direct meta-analysis. *J Arthroplasty* 2018;Epub ahead of print

Flint A, McQuilten Z, Wood E: Massive transfusions for critical bleeding: is everything old new again? *Transfus Med* 2018;Epub ahead of print

Foncerrada G, Culnan D, Capek K, et al: Inhalation injury in the burned patient. *Ann Plast Surg* 2018;80:S98-S105

Freed J, Ko J: An innovative advance in non-invasive wound closure: a new paradigm. *Mil Med* 2018;183:472-480

Gala S, Balsam M; Letter in response to Kim M, Torrie I, Poisson R, Withers N, Bjarnason S, DaLuz LT, Pannell D, Beckett A, Tien HC. The value of live tissue training for combat casualty care: a survey of Canadian Casualty Care: a survey of Canadian Combat Medics with battlefield experience in Afghanistan. *Mil Med* 2018;Epub ahead of print

Gendron B, Cronin A, Monti K, Brigg A: Military medic performance with employment of a commercial intraosseous infusion device: a randomized, crossover study. *Mil Med* 2018;Epub ahead of print

Glick Y, Furer A, Glassberg E, et al: Comparison of two tourniquets on a mid-thigh model: the Israeli silicone stretch and wrap tourniquet vs. the combat application tourniquet. *Mil Med* 2018;183:157-161

Godbole N, Seefeldt E, Raymond W, et al: Simplified method for rapid field assessment of visual acuity by first responders after ocular injury. *Mil Med* 2018;183:219-223

Goforth C, Bradley M, Pineda B, et al: Resuscitative endovascular balloon occlusion of the aorta: a bridge to flight survival. *Crit Care Nurse* 2018;38:69-75

Goddard N, Evriviades D: Successful use of intrapelvic Quikclot in life-threatening blast injury. *Trauma Case Rep* 2017;12:59-62

Gonzalez-Vazquez A, Rodriguez-Lago L, Seoane-Pillado M, et al: The progressive approach to EMDR group therapy for complex trauma and dissociation: a case-control study. *Front Psychol* 2018;8:2377

Goolsby C, Strauuaa-Riggs K, Klimcazk V, et al: Brief, web-based education improves lay rescuer application of a tourniquet to control life-threatening bleeding.

Granite G, Pugh K, Chen H, et al: Assessment of anatomical knowledge and core trauma competency vascular skills. *Mil Med* 2018;183:66-72

Greene T, DeSantis S, Fox E, et al: Utilizing propensity score analyses in prehospital blood product transfusion studies: lessons learned and moving toward best practice. *Mil Med* 2018;183:124-133

Gurney J, Spinella P: Blood transfusion management in the severely bleeding military patient. *Curr Opin Anaesthesiol* 2018;31:207-214

Ha S, Kim M, Suh J, Lee J: Self-pressurized air-Q® intubating laryngeal airway versus the LMA® Classic™: a randomized clinical trial. *Can J Anaesth* 2018; *Can J Anaesth* 2018;Epub ahead of print

Hamm M, Sams V, DellaVolpe J, et al: Case report of extracorporeal membrane oxygenation and aeromedical evacuation at a deployed military hospital. *Mil Med* 2018;183:203-206

Hardy G, Maddry J, Ng P, et al: Impact of prehospital airway management on combat mortality. *Am J Emerg Med* 2018;Epub ahead of print

Hawk A: How hemorrhage control became common sense. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Hartford B, Shapiro G, Marino M, et al: Proceedings from the 2017 mid-year meeting of the Committee for Tactical Emergency Casualty Care (C-TECC) and committee updates. *J Spec Oper Med* 2018;18:160-161

Havernkamp F, Giesbrecht G, Tan E: The prehospital management of hypothermia- an up-to-date overview. *Injury* 2017;Epub ahead of print

Henninger N, Compton R, Khan M, et al: "Don't lose hope early": Hemorrhagic diffuse axonal injury on head computed tomography is not associated with poor outcome in moderate to severe traumatic brain injury patients. *J Trauma Acute Care Surg* 2018;84:473-482

Hernandez M, El Khatib M, Prokop L, et al: Complications in tube thoracostomy: systematic review and meta-analysis. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Heszlein-Lossius H, Al-Borno Y, Shaqoura S, et al: Severe extremity amputations in surviving Palestinian civilians caused by explosive fired from drones during Gaza War. *Lancet* 2018;391:S15

Higgs A, McGrath B, Goddard C, et al: Response to 'Surgical cricothyroidotomy-the tracheal tube dilemma'. *Br J Anaesth* 2018;120:1138-1139

Higgs A, McGrath B, Goddard C, et al: Guidelines for the management of tracheal intubation in critically ill adults. *Br J Anaesth* 2018;120:323-352

Kauvar D, Dubick M, Walters T, Kragh J: Systematic review of prehospital tourniquet use in civilian limb trauma. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Kawano T, Grunau B, Scheuermeyer F, et al: Intraosseous vascular access is associated with lower survival and neurological recovery among patients with out-of-hospital cardiac arrest. *Ann Emerg Med* 2018;71:588-596

Kawano T, Ong M, Siddiqui F, et al: Modifiable factors associated with survival after out-of-hospital cardiac arrest in the Pan-Asian resuscitation outcomes study. *Ann Emerg Med* 2018;71:608-617

Kim J, Kim W, Kang G, et al: Pre-hospital i-gel blind intubation for trauma: a simulation study. *Clin Exp Emerg Med* 2018;5:29-34

Kim K, Yeo N, Kim S, et al: Effect of fentanyl nasal packing treatment on patients with acute postoperative pain after nasal operation: a randomized double-blind controlled trial. *Ann Otol Rhinol Laryngol* 2018;Epub ahead of print

Komura S, Rodriguez R, Peabody C: Hemoptysis? Try inhaled tranexamic acid. *J Emerg Med* 2018;Epub ahead of print

Koo A, Walsh R, Knutson T, et al: Comparison of intubation using personal protective equipment and standard uniform in simulated cadaveric models. *Mil Med* 2018;183:216-218

Kotwal R, Staudt A, Trevino J, et al: A review of casualties transported to Role 2 medical treatment facilities in Afghanistan. *Mil Med* 2018;183:134-145

Kulas J, Rosenheck R: A comparison of veterans with post-traumatic stress disorder, with mild traumatic brain injury with both disorders: understanding multimorbidity. *Mil Med* 2018;183:e114-e122

Kundra P: Securing of supraglottic airway devices during position change and in prone position. *Indian J Anaesth* 2018;62:159-161

Lewis C, Naumann D, Crombie N, Midwinter M: Prehospital point-of-care lactate following trauma: a systematic review. *J Trauma Acute Care Surg* 2016;81:748-755

Liang C, Yang Y, Shen C, et al: Chinese Military evaluation of a portable near-infrared detector of traumatic intracranial Hematomas. *Mil Med* 2018;Epub ahead of print

Lichtenberger J, Kim A, Fisher D, et al: Imaging of combat-related thoracic trauma- blunt trauma and blast lung injury. *Mil Med* 2018;183:e89-e96

Lundborg M, Helseth E, Josefsen R, et al: Hyperbaric oxygen therapy of air embolus in the cerebral venous sinuses after intracranial surgery: a case report. *Acta Neurochir* 2018;Epub ahead of print

Lyon R, Schwan C, Zeal J, et al: Successful use ketamine as a prehospital analgesic by paramedics during Operation Enduring Freedom. *J Spec Oper Med* 2018;18:70-73

Mangat H: Hypertonic saline infusion for treating intracranial hypertension after severe traumatic brain injury. *Crit Care* 2018;22:37

Martin G, Carroll C, Plummer Z, et al: Safety and efficacy of brain injury guidelines at a Level III trauma center. *J Trauma Acute Care Surg* 2018;84:483-489

Matsushima K, Piccinini A, Schellenberg M, et al: Effect of door-to-angioembolization time on mortality in pelvic fracture: every hour of delay counts. *J Trauma Acute Care Surg* 2018;84:685-692

Matsyamam S, Miki R, Kittaka H, et al: Preoperative fluid restriction for trauma patients with hemorrhagic shock decreases ventilator days. *Acute Med Surg* 2018;5:154-159

McGinity A, Zhu C, Greebon L, et al: Pre-hospital low titer cold stored whole blood: philosophy for ubiquitous of O positive product for emergency use in hemorrhage due to injury. *J Trauma Acute Care Surg* 2018;Epub ahead of print

McNeill M: Critical care performance in a simulated military aircraft cabin environment. *Crit Care Nurse* 2018;38:18-29

Meizosa J, Dudaryk R, Mulder M, et al: Increased risk of fibrinolysis shutdown among severely injured trauma patients receiving tranexamic acid. *J Trauma Acute Care Surg* 2018;84:426-432

Miller B, Lin A, Clark S, et al: Red Tides: mass casualty and whole blood at sea Red Tides. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Miner J: Ketamine is a good first-line option for severely agitated patients in the prehospital environment. *Am J Emerg Med* 2018;36:501-502

Mirabile C, Malekzadeh-Milani S, Vinh T, Haydar A: Intraoperative hypoxia secondary to pneumothorax: the role of lung ultrasound. *Paediatr Anaesth* 2018;Epub ahead of print

Mistry B, Stewart De Ramirez S, Kelen G, et al: Accuracy and reliability of emergency department triage using the emergency severity index: an international multicenter assessment. *Ann Emerg Med* 2018;71:581-587

Mitchener T, Dickens N, Simecek J: Causes of oral-macillofacial injury of U.S. Military personnel in Iraq and Afghanistan, 2001-2014

Modir H, Moshiri E, Yazdi B, et al: Comparing the efficacy and safety of laryngeal mask airway, streamlined liner of the pharyngeal airway and I-gel following tracheal extubation. *Med Gas Res* 2018;7:241-246

Morchel H, Ogedegbe C, Chaplin W, et al: Evaluation of a novel wireless transmission system for trauma ultrasound examination from moving ambulance. *Mil Med* 2018;183:111-118

Myburgh J: Patient-centered outcomes and resuscitation fluids. *N Engl J Med* 2018;378:862-863

Nachman D, Yehoshua L, Benov A, et al: Splenic trauma in the Israeli Defense Forces-do not underestimate minor trauma. *Mil Med* 2018;183:169-174

Naumann D, Hazeldine J, Davies D, et al: Endotheliopathy of trauma in an on-scene phenomenon, and is associated with multiple organ dysfunction syndrome: a prospective observational study. *Shock* 2018;49:420-428

Nikolian V, Dekker S, Bambakidis T, et al: Improvement of blood-brain barrier integrity in brain injury and hemorrhagic shock following treatment with valproic acid and fresh frozen plasma. *Crit Care Med* 2018;46:e59-e66

Nguyen C, Bordes J, Cungi P, et al: Use of French lyophilized plasma transfusion in severe trauma patients is associated with an early plasma transfusion and early transfusion ration improvement. *J Trauma Acute Care Surg* 2018;84:780-785

Ogawa L: On the opioid crisis and the future of pain treatment: an interview with Bertha K. Madras, PhD. *Yale J Biol Med* 2018;91:73-78

Okana H, Uzawa K, Watanabe K, et al: Ultrasound-guided identification of the cricothyroid membrane in a patient with a difficult airway: a case report. *BMC Emerg Med* 2018;18:5

Ordoñez C, Parra M, Manzano-Nunez R, et al: Intraoperative combination of resuscitative endovascular balloon occlusion of the aorta and a median sternotomy in hemodynamically unstable patients with penetrating chest trauma: is this feasible? *J Trauma Acute Care Surg* 2018;84:752-757

Ordoñez C, Manzano-Nunez R, Parra M, et al: Prophylactic use of resuscitative endovascular balloon occlusion of the aorta in women with abnormal placentation: a systematic review, meta-analysis, case series. *J Trauma Acute Care Surg* 2018;84:809-818

Pakkanen T, Kämäräinen A, Huhtala H, et al: Physician-staffed helicopter emergency medical service has a beneficial impact on the incidence of prehospital hypoxia and secured airways on patients with severe traumatic brain injury. *Scand J Trauma Resusc Emerg Med* 2018;25:94

Paz D, Thomas K, Primakov D: Ocular injuries and cultural influences in Afghanistan during 5 months of Operation Enduring Freedom. *J Spec Oper Med* 2018;18:77-80

Peiris A, Jaroudi S, Gavin M: Hypothermia. *JAMA* 2018;19:1290

Peng H, Tenn C, Vartanian O, et al: Biological response to stress during battlefield trauma training: live tissue versus high fidelity patient simulator. *Mil Med* 2018;Epub ahead of print

Pieper A, Thony F, Brun J, et al: Resuscitative endovascular balloon occlusion of the aorta for pelvic blunt trauma and life-threatening hemorrhage: a 20-year experience in a Level I trauma center. *J Trauma Acute Care Surg* 2018;84:449-453

Polites S, Nygaard M, Reddy P, et al: Multicenter study of crystalloid boluses and transfusion in pediatric trauma-when to go to blood? *J Trauma Acute Care Surg* 2018;Epub ahead of print

Polk T, Greer J, Alex J, et al: Simulation training for operational medicine providers (STOMP): design and implementation of a novel comprehensive skills-based curriculum for military general officers. *Mil Med* 2018;183:40-46

Posti J, Yli-Olli M, Heiskanen L, et al: Cranioplasty after severe traumatic brain injury: effects of trauma and patient recovery on cranioplasty outcome. *Front Neurol* 2018;9:223

Quinn V, Amouri O, Reed P: Notes from a field hospital south of Mosul. *Global Health*. 2018;14:27

Rall J, Redman T, Ross E, et al: Comparison of zone 3 resuscitative endovascular balloon occlusion of the aorta and the abdominal aortic and junctional tourniquet in a model of junctional hemorrhage in swine. *J Surg Res* 2018;226:31-39

Regasa L, Kaplan D, Moy Martin E, et al: Mortality following hospital admission for US active duty service members diagnosed with penetrating traumatic brain injury, 2004-2014. *J Head Trauma Rehabil* 2018;33:123-132

Reisz J, Wither M, Moore E, et al: All animals are equal but some animals are more equal than others: plasma lactate and succinate in hemorrhagic shock- a comparison in rodents, swine, nonhuman, primates, and injured patients. *J Trauma Acute Care Surg* 2018;84:537-541

Reynolds P, Fisher B, McCarter J, et al: Interventional Vitamin C: a strategy for attenuation of coagulopathy and inflammation in a swine polytrauma model. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Ross E, Mapp J, Redman T, et al: The tourniquet gap: a pilot study of the intuitive placement of three tourniquet types by laypersons. *J Emerg Med* 2018;54:307-314

Ross E, Redman T: Feasibility and proposed training pathway for austere application of resuscitative balloon occlusion of the aorta. *J Spec Oper Med* 2018;18:37-43

Rubenson Wahlin R, Nelson D, Bellander B, et al: Prehospital intubation and outcome in traumatic brain injury- assessing intervention efficacy in modern trauma cohort. *Front Neurol* 2018;9:194

Ryan K, Walter B. Cannon's World War I experience: treatment of traumatic shock then and now. *Adv Physiol Educ* 2018;42:267-276

Schauer S, April M, Naylor J, et al: Prehospital administration of tranexamic acid by ground forces in Afghanistan: the prehospital trauma registry experience. *J Spec Oper Med* 2017;17:55-58

Schauer S, Naylor J, Brown D, et al: A survey of wilderness medicine analgesia practice patterns. *Wilderness Environ Med* 2018;Epub ahead of print

Schreibman D, Hong C, Keledjian K, et al: Mannitol and hypertonic saline reduces swelling and modulate inflammatory markers in a rat model of intracerebral hemorrhage. *Neurocrit Care* 2018;Epub ahead of print

Seal K, Bertenthal D, Barnes D, et al: Traumatic brain injury and receipt of prescription opioid therapy for chronic pain in Iraq and Afghanistan veterans: do clinical practice guidelines matter? *J Pain* 2018;Epub ahead of print

Self W, Semler M, Wanderer J, et al: Balanced crystalloids versus saline in noncritically ill adults. *N Engl J Med* 2018;378:819

Semler M, Slef W, Wanderer J, et al: Balanced crystalloids versus saline in critically ill adults. *N Engl J Med* 2018;378:829

Sen S, Mitra K, Ganguli S, Mukherji S: I-gel™ may be the device of choice for controlled ventilation in patients with hemophilia undergoing abdominal laparoscopic surgery. *Anesth Essays Res* 2018;12:288-290

Sheridan R: Austere surgical care in the era specialization. *Pediatr Crit Care Med* 2018;19:384-385

Sivertsen J, Braathen H, Lunde T, et al: Preparation of leukoreduced whole blood for transfusion in austere environments; effects of forced filtration, storage agitation, and high temperatures on hemostatic function. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Sriuttha P, Sirichanchuen B, Permsuwan U: Hepatotoxicity of nonsteroidal anti-inflammatory drugs: a systematic review of randomized controlled trails. *Int J Hepatol* 2018;Epub ahead of print

St John A, McCoy A, Moyes A, et al: Prehospital lactate predicts need resuscitative care in non-hypotensive trauma patients. *West J Emerg Med* 2018;19:224-23

Stathopoulos P, Igoumenakis D, Mezitis M, Rallis G; Blindness after facial trauma: epidemiology, incidence, and risk factors: a 27-year cohort study. *Oral Surg Oral Med Oral Pathol Radiol* 2018;

Staub L, Biscaro R, Kaszubowski E, Maurici R: Chest ultrasonography for the emergency diagnosis of traumatic pneumothorax and haemothorax: a systematic review and meta-analysis. *Injury* 2018;Epub ahead of print

Staudt A, Savell S, Biever K, et al: En route critical care transfer from a role 2 to role 3 medical treatment facility in Afghanistan. *Crit Care Nurse* 2018;38:e7-e15
Staunton O, Staunton C: The urgency of now: attacking the sepsis crisis. *Crit Care Med* 2018;46:809-810

Steele E, Wood D, J Usadi E, Applegarth D: TRR's Warrior Camp: an intensive treatment program for combat trauma in active military and veterans of all era. *Mil Med* 2018;183:403-407

Stevenson T, Carr D, Penn-Barwell J, et al: The burden of gunshot wounding of UK military personnel in Iraq and Afghanistan from 2003-14. *Mil Med* 2018;Epub ahead of print

Sulsky S, Bulzacchelli M, Zhu L: Risk Factors for training-related injuries during U.S. Army basic combat training. *Mil Med* 2018;183:55-65

Tallon J: Trauma systems and emergency medical services: the missing link for tranexamic acid utilization in major trauma. *CJEM* 2018;20:167-169

Teixeira P, Brown C, Emigh B, et al: Civilian prehospital tourniquet use is associated with improved survival in patients with peripheral vascular injuries. *J Am Coll Surg* 2018;Epub ahead of print

Ter Wengel P, Feller R, Stadhouder A, et al: Timing of surgery in traumatic spinal cord injury: a national, multidisciplinary survey. *Eur Spine J* 2018;Epub ahead of print

Thaut L, Murtha A, Johnson A, Roper J: An impaled potential unexploded device in the civilian trauma setting: a case report and review of the literature. *J Emerg Med* 2018;Epub ahead of print

Tjardes T, Luecking M: The platinum 5 min in TCCC: analysis of junctional and extremity hemorrhage scenarios with a mathematical model. *Mil Med* 2018;Epub ahead of print

Tollefsen M, Vik A, Skandsen T, et al: Patients with moderate and severe traumatic brain injury: impact of preinjury platelet inhibitor or warfarin treatment. *World Neurosurg* 2018;Epub ahead of print.

Tran A, Matar M, Lampron J, et al: Early identification of patients requiring massive transfusion, embolization of hemostatic surgery for traumatic hemorrhage: a systematic review and meta-analysis. *J Trauma Acute Care Surg* 2018 2018;84:505-516

Tran A, Yates J, Lau A, et al: Permissive hypotension versus conventional resuscitation strategies in adult trauma patients with hemorrhagic shock: a systematic review and meta-analysis of randomized controlled trials. *J Trauma Acute Care Surg* 2018;84:802-808

Tschiffely A, Haque A, Haran f: Recovery from mild traumatic brain injury following uncomplicated mounted and dismounted blast: a natural history approach. *Mil Med* 2018;183:e140-e147

Udy A, Smith K, Bernard S: Timing of antibiotics in the management of community-acquired sepsis: can a randomised controlled trial of prehospital therapy provide answers? *Emerg Med Australas* 2017;Epub ahead of print

Undurti A, Colasurdo E, Sikkema C, et al Chronic hypopituitarism associated with increased postconcussive symptoms is prevalent after blast-induced mild traumatic brain injury. *Front Neurol* 2018;9:72

Utarnachitt R, Mason R: Survival from prolonged cardiac arrest in the wilderness. *Air Med J* 2017;36:396-297

Vasquez K, Brozoski F, Logsdon K, Chancey V: Retrospective analysis of injuries in underbody blast events: 2007-2010. *Mil Med* 2018;183:347-352

Velopulos C, Shihab H, Lotterberg L, et al: Prehospital spinal immobilization/spinal motion restriction in penetrating trauma: a practice management guidelines for the Eastern Association for the Surgery of Trauma (EAST). *J Trauma Acute Care Surg* 2018;84:736-744

Verma S, Sharma S: Effectiveness of proseal laryngeal mask airway and laryngeal tube suction in elective non-laparoscopic surgeries of up to ninety minutes duration: a prospective, randomized study. *J Anaesthesiol Clin Pharmacol* 2018;34:58-61

Vora T, Karunakaran S, Kumar A, et al: Intracranial pressure monitoring in diffuse brain injury- why the developing world needs it more? *Acta Neurochir* 2018;Epub ahead of print

Wang D, Zhu H, Meng W, et al: Comparison of oral versus intra-articular tranexamic acid in enhanced-recovery primary total knee arthroplasty without tourniquet application: a randomized controlled trial. *BMC Musculoskelet Disord* 2018;19:85

Warner N, Zheng J, Nix G, et al: Military prehospital use of low titer group O whole blood. *J Spec Oper Med* 2018;18:15-18

Watanitanon A, Lyons V, Lele A, et al: Clinical epidemiology of adults with moderate traumatic brain injury. *Crit Care Med* 2018;46:781-787

Weaver L, Wilson S, Lindblad A, et al: Hyperbaric oxygen for post-concussive symptoms in United States military service members: a randomized clinical trial. *UHM* 2018;45:129-156

Wieck M, Cunningham A, Behrens B, et al: Direct to operating room trauma resuscitation decreases mortality among severely injured children. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Wong D, Ooi A, Singh K, et al: Comparison of oropharyngeal leak pressure between the Ambu® AuraGain™ and the LMA® Supreme™ supraglottic airways: a randomized-controlled trial. *Can J Anaesth* 2018;Epub ahead of print

Zahiri M, Booton R, Nelson C, et al: Virtual reality training system for anytime/anywhere acquisition of surgical skills: a pilot study. *Mil Med* 2018;183:86-91

Zong Z, Zhang L, Qin H, et al: Expert consensus on the evaluation and diagnosis of combat injuries of the Chinese People's Liberation Army. *Mil Med Res* 2018;5:6