

TCCC Journal Watch

August 2018

Allen C, Conner R, Ivester J: Ketamine infusions for outpatient pain management: a policy development project. *J Infus Nurs* 2018;Epub ahead of print

Apostolova E, White H, Morris P, et al: Open globe injury patient identification in warfare clinical notes. *AMIA Annu Symp Proc* 2018;2017:403-410

April M, Arana A, Pallin D, et al: Emergency department intubation success with succinylcholine versus rocuronium: a national emergency airway registry study. *Ann Emerg Med* 2018;Epub ahead of print.

Aurora A, Beasy A, Rizzo J, Chung K: The use of a silver-nylon dressing during evacuation of military burn casualties. *J Burn Care Res* 2018;39:593-597

Aurora A, Rose J, Umoh N, et al: Fresh whole blood resuscitation does not exacerbate skeletal muscle edema and long-term functional deficit after ischemic injury and hemorrhagic shock. *J Trauma Acute Care Surg* 2018;84:786-794

Baker M, Morning J, Hale W, et al: Acute assessment of traumatic brain injury and post-traumatic stress after exposure to a deployment-related explosive blast. *Mil Med* 2018;Epub ahead of print

Baksaas-Aasen K, Van Dieren S, Balvers K, et al: Data-driven development of ROTEM: and TEG algorithms for the management of trauma hemorrhage: a prospective observational multicenter study. *Ann Surg* 2018;Epub ahead of print

Bardes J, Inaba K, Schellenberg M, et al: The contemporary timing of trauma deaths. *J Trauma Acute Care Surg* 2018;84:893-899

Bardes J, Plamer A, Con J et al: Antifibrinolytics in a rural trauma system: assessing the opportunities. *Trauma Surg Acute Care Open* 2017;Epub ahead of print

Barnes D, Byers A, Gardner R, et al: Association of mild traumatic brain injury with and without loss of consciousness with dementia in US Military Veterans. *JAMA Neurol* 2018;Epub ahead of print

Barr J, Cherry K, Rich N: Vascular surgery in the Pacific theaters of World War II: the persistence of ligation amid unique military medical conditions. *Ann Surg* 2018;Epub ahead of print

Barron M, Kuckelman J, McCellan J, et al: Mobile forward-looking infrared technology allows rapid assessment of resuscitative endovascular balloon occlusion of the aorta in hemorrhage and blackout conditions. *J Trauma Acute Care Surg* 2018;85:25-32

Bandinelli C, Ku D, Nebauer S, et al: A tale of two cities: prehospital intubation with or without paralyzing agents for traumatic brain injury. *ANZ J Surg* 2018;88:455-459

Beom Y, Seo H: The need for early tracheostomy in in patients with traumatic cervical cord injury. *Clin Orthop Surg* 2018;10:191-196

Bjerkvig C, Fosse T, Apelseh T, et al: Emergency sternal intraosseous access for warm fresh whole blood transfusion in damage control resuscitation. *J Trauma Acute Care Surg* 2018;84:S120-S124

Blackburn M, April M, Brown D, et al: Prehospital airway procedures performed in trauma patients by ground forces in Afghanistan. *J Trauma Acute Care Surg* 2018;85:S154-S160

Boulton A, Lewis C, Naumann D, Midwinter M: Prehospital haemostatic dressings for trauma: a systematic review. *Emerg Med J* 2018;Epub ahead of print

Boutonnet M, Abback P, Le Saché F, et al: Tranexamic acid in severe trauma patients managed in a mature trauma care system. *J Trauma Acute Care Surg* 2018;84:S54-S62

Bribriesco A, Patterson G: Cricothyroid approach for emergency access to the airway. *Thorac Surg Clin* 2018;28:435-440

Butler F, Holcomb J, Shackelford S, et al: Management of suspected tension pneumothorax in Tactical Combat Casualty Care: TCCC Guidelines change 17-02. *J Spec Oper Med* 2018

Büttner B, Mansur A, Kalmbach M, et al: Prehospital ultrasound-guided nerve blocks improve reduction-feasibility of dislocated extremity injuries compared to systemic analgesia. A randomized controlled trial. *PLoS One* 2018;13:e0199776

Bylund W, Delahanty L, Cooper M: The case of ketamine allergy. Clin Pract Cases Emerg Med 2017;1:323-325

Callaway D: A review of the landscape: challenges and gaps in trauma response to civilian high threat mass casualty incidents. J Trauma Acute Care Surg 2018;84:S21-S27

Cannon J: Prehospital damage-control resuscitation. N Engl J Med 2018;379:387-388

Cannon J, Mason P, Batchinsky A: Past and present role extracorporeal membrane oxygenation in combat casualty care: how far will we go? J Trauma Acute Care Surg 2018;84:S63-S68

Cannon J, Neff L, Pidcoke H: The evolution of pediatric transfusion practice during combat operations: 2001-2013. J Trauma Acute Care Surg 2018;84:S69-S76

Cantle P, Hurley M, Swartz M, Holcomb J: Methods for early control of abdominal hemorrhage: an assessment of potential benefit. J Spec Oper Med 2018;18:98-104

Cardenas J, Wade C, Cotton B, et al: TEG lysis shutdown represents coagulopathy in bleeding trauma patients: analysis of the PROPPR Cohort. Shock 2018;Epub ahead of print

Chakroun-Walha O, Samet A, Jerbi M, et al: Benefits of tranexamic acid in head trauma with no extracranial bleeding: a prospective follow-up of 180 patients. Eur J Trauma Emerg Surg 2018;Epub ahead of print

Chang S, Tong Q, Beh Z, Quek K: A bench study comparing scalpel-bougie technique versus cannula-to-melker technique for emergency cricothyroidotomy in a porcine model. Korean J Anesthesiol 2018;Epub ahead of print

Chao L: The relationship between traumatic brain injury and rates of chronic symptomatic illness in 202 Gulf War veterans. Mil Med 2018;Epub ahead of print

Chow S, Tan Y, Wong T, et al: Direct and indirect low skill fibre-optic intubation: a randomised crossover manikin study of six supraglottic airway devices. Indian J Anaesth 2018;62:350-358

Christian N, Burlew C, Moore E, et al: The focused abdominal sonography for trauma examination can reliably identify patients with significant intra-abdominal hemorrhage in life-threatening pelvic fractures. J Trauma Acute Care Surg 2018;84:924-928

Chukwu-Lobelu R, Appukuttan A, Edwards S, Patel H: Burn injuries from the London suicide bombings: a new classification of blast-related thermal injuries. *Ann Burns Fire Disasters* 2017;30:256-260

Crossen M, van den Brande R, Lingsma H, et al: Prehospital trauma care among 68 European neurotrauma centers: results of the CENTER-TBI provider profiling questionnaires. *J Neurotrauma* 2018;Epub ahead of print

Coss C, Singh M, Jones J: BET 1: Intravenous tranexamic acid for the treatment of post-partum haemorrhage. *Emerg Med J* 2018;35:523-524

Costello D, Kaye A, O'Brien T, Shultz S: Sports-related concussion: potential for biomarkers to improve acute management. *J Clin Neurosci* 2018;Epub ahead of print

Curry N, Foley C, Wong H, et al: Early fibrinogen concentrate therapy for major haemorrhage in trauma (E-FIT1): results from a UK multi-centre, randomised, double blind, placebo-controlled pilot trial. *Crit Care* 2018;22:164

Davis M, Rasmussen T, Holcomb B: The new reckoning: The Combat Casualty Care Research Program responds to real and present challenges in military operational projections. *J Trauma Acute Care Surg* 2018;85:S1-S3

De Vloo P, Nijs S, Verelst S, et al: Prehospital and intrahospital temporal intervals in patients requiring emergent trauma craniotomy. A 6-year observational study in a Level 1 trauma center. *World Neurosurg* 2018;114:e546-e558

Deras P, Nouri J, Martinez O, et al: Diagnostic performance of prothrombin time point-of-care to detect acute traumatic coagulopathy on admission: experience of 522 cases in trauma center. *Transfusion* 2018;Epub ahead of print

Derickson M, McClellan J, Marko S, et al: The effects of hemorrhage on the pharmacokinetics of tranexamic acid in a swine model. *J Trauma Acute Care Surg* 2018;85:S44-S48

DeWitt D, Hawkins B, Dixon C, et al: Preclinical testing of therapies for traumatic brain injury. *J Neurotrauma* 2018;Epub ahead of print

Dickson R, Gleisberg G, Aiken M, et al: Emergency medical services simple thoracostomy for traumatic cardiac arrest: postimplementation experience in a ground-based suburban/rural emergency medical services agency. *J Emerg Med* 2018;Epub ahead of print

Dingley J, Stephenson J, Allender V, et al: Changes in hardness and resilience of i-gel™ cuffs with temperature: a benchtop study. *Anaesthesia* 2018;Epub ahead of print

Dreizin D, Bodanapally U, Mascarenhas D, et al: Quantitative MDCT assessment of binder effects after pelvic ring disruptions using segmented pelvic haematoma volumes and multiplanar caliper measurements. *Eur Radiol* 2018;Epub ahead of print

Dumas R, Chreiman K, Seamon M, et al: Benchmarking emergency department thoracotomy: using trauma video review to generate procedural norms. *Injury* 2018;Epub ahead of print

Dyer M, Hickman D, Haldeman S, et al: Intravenous administration of synthetic platelets (SynthoPlate) in a mouse liver injury model of uncontrolled hemorrhage improves hemostasis. *J Trauma Acute Care Surg* 2018;84:917-923

El-Menyar A, Sathian B, Asim M, et al: Efficacy of prehospital administration of tranexamic acid in trauma patients: a meta-analysis of the randomized controlled trials. *Am J Emerg Med* 2018;36:1079-1087

Eliassen H, Hervig T, Backlund S, et al: Immediate effects of blood donation on physical and cognitive performance- a randomized controlled double-blinded trial. *J Trauma Acute Care Surg* 2018;84:S125-S131

Elswick C, Wyrick D, Gurien L, et al: Resource utilization and indications for helicopter transport of head-injured children. *J Pediatr Surg* 2018;Epub ahead of print

Edwards T, Williams J, Cottee M: Influence of prehospital airway management on neurological outcomes in patients transferred to a heart attack centre following out-of-hospital cardiac arrest. *Emerg Med Australas* 2018;Epub ahead of print

Escamilla J, Ross J, Atanasio J, et al: Spinal gunshot wounds: pattern and associated lesions in civilians. *Asian Spine J* 2018;12:648-655

Falavigna A, Quadros F, Teles A, et al: Worldwide steroid prescription for acute spinal cord injury. *Global Spine J* 2018;8:303-310

Famularo G: Hemorrhagic shock. *N Engl J Med* 2018;378:19

Fashola Y, Kaul S, Finefrock D: Bradycardia after tube thoracostomy for spontaneous pneumothorax. *Case Rep Emerg Med* 2018;Epub ahead of print

Feng G, Feng J, Zhang S, et al: Altered levels of α -melanocyte stimulating hormone in cerebrospinal fluid and plasma of patients with traumatic brain injury. *Brain Res* 2018;Epub ahead of print

Ferguson I, Alkhoury H, Fogg T, Aneman A: Ketamine use for rapid sequence intubation in Australian and New Zealand emergency departments from 2010 to 2015: a registry study. *Emerg Med Australas* 2018;Epub ahead of print

Friesgaard K, Riddervold I, Kirkegaard H, et al; Acute pain in the prehospital setting: a registry-based study of 41,241 patients. *Scand J Trauma Resusc Emerg Med* 2018;26:53

Garrigue D, Godier A, Glacet A, et al: French lyophilized plasma versus fresh frozen plasma for the initial management of trauma-induced coagulopathy: a randomized open-label trial. *J Thromb Haemost* 2018;16:481-489

Gendron B, Cronin A, Monti J, Brigg A: Military medic performance with employment of a commercial intraosseous infusion device: a randomized, crossover study. *Mil Med* 2018;83:e216-e222

Givergis R, Munnangi S, Fayaz M, Fomani K, et al: Evaluation of massive transfusion protocol practices by type of trauma at a level 1 trauma center. *Chin J Traumatol* 2018;Epub ahead of print

Gomez-Builes J, Acuna S, Nascimento B, et al: Harmful or physiologic: diagnosing fibrinolysis shutdown in a trauma cohort with rotational thromboelastometry. *Anesth Analg* 2018;Epub ahead of print

Gómez-Rios M, Calvo-Vecino J: Airway management in a prehospital combat setting. *Am J Emerg Med* 2018;Epub ahead of print

Goralnick E, Chaudhary M, McCarty J, et al: Effectiveness of instructional interventions for hemorrhage control readiness for laypersons in the public access and tourniquet training study (PATTS): a randomized clinical trial. *JAMA Surg* 2018;Epub ahead of print

Gottlieb M, Ryan K, Binkley C: Is low-dose ketamine an effective alternative to opioids for the treatment of acute pain in the emergency department? *Ann Emerg Med* 2018;72:133-134

Grant A, Letson H, Morris J, et al: Tranexamic acid is associated with selective increase in inflammatory markers following total knee arthroplasty (TKA): a pilot study. *J Orthop Surg Res* 2018;13:149

Grassin-Delyle S, Theusinger O, Albrecht R, et al: Optimization of the dosage of tranexamic acid in trauma patients with population pharmacokinetic analysis. *Anaesthesia* 2018;73:719-729

Green S, Roback M, Krauss B: The newest threat to emergency department procedural sedation. *Ann Emerg Med* 2018;72:115-119

Greene J: Who should perform REBOA technique? *Ann Emerg Med* 2018;71:A17-A20

Hardy G, Maddry J, Ng P, et al: Impact of prehospital airway management on combat mortality. *Am J Emerg Med* 2018;Epub ahead of print

Hashmi U, Nedeem M, Aleem A, et al: Dysfunctional closed chest drainage- common causative factors and recommendations for prevention. *Cureus* 2018;10:e2295

Hawk A: How hemorrhage control became common sense. *J Trauma Acute Care Surg* 2018;85:S13-S17

Holtenius J, Bakhayesh P, Enocson A: Pelvic fractures- indicator of injury severity or lethal fracture? *Injury* 2018;Epub ahead of print

Hong S, Kang D, Kong M, et al: Development of delayed acute subdural hematoma after mild traumatic brain injury: a case report. *Korean J Neurotrauma* 2018;14:24-27

Howley I, Haut E, Jacobs L, et al: Is thromboelastography (TEG) - based resuscitation better than empirical 1:1 transfusion? *Trauma Surg Acute Care Open* 2018;3:e000140

Hua C, Bosc R, Sbidian E, et al: Interventions for necrotizing soft tissue infections in adults. *Cochrane Database Syst Rev* 2018;5:CD011680

Hudson A, Strandenes G, Bjerkvig C, et al: Airway and ventilation management strategies for hemorrhagic shock. To tube, or not to tube, that is the question! *J Trauma Acute Care Surg* 2018;84:S77-S82

Hurwitz J: Can we finally dispense with ketamine's many myths? *J Emerg Med* 2018;54:697-700

Iflazoğlu N, Üreyen O, Oner O, et al: Non-operative management of abdominal gunshot injuries: is it safe in all cases? *Turk J Surg* 2018;34:38-42

Kang Y, Arjandas M, Teoh L: Revisiting the elastic tourniquet in pediatric upper limb surgery. *Tech Hand Up Extrem Surg* 2018;22:43-45

Kauvar D, Miller D, Walters T: Tourniquet use is not associated with limb loss following military lower extremity arterial trauma. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Kessler T, Traini L, Welk B, et al: Early neurological care of patients with spinal cord injury. *World J Urol* 2018;Epub ahead of print

Khan M, Rai A, Jain A: A simple and effective scalp tourniquet for controlling scalp hemorrhage. *J Maxillofac Oral Surg* 2018;17:264-265

Kim Y, Kang M, Lee J, et al: Combined use of topical intraarticular tranexamic acid and rivaroxaban in total knee arthroplasty safely reduces blood loss, transfusion rates, and wound complications without increasing the risk of thrombosis. *BMC Musculoskelet Discord* 2018;19:227

Kimijima T, Edanaga M, Yamakage M: Superior sealing effect of a three-dimensional printed modified supraglottic airway compared with the i-gel in a three-dimensional printed airway model. *J Anesth* 2018;Epub ahead of print

Kotwal R, Scott L, Janak J, et al: The effect of prehospital transport time, injury severity, and blood transfusion on survival of US military casualties in Iraq. *J Trauma Acute Care Surg* 2018;85:S112-S121

Kotwal R, Staudt A, Mazuchowski E, et al: A US military role 2 forward surgical team database study of combat mortality in Afghanistan. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Kragh J, Newton N, Tan A, et al: New and established models of limb tourniquet compared in simulated first aid. *J Spec Oper Med* 2018;18:36-41

Kuckelman J, Barron M, Moe D, et al: Extending the golden hour for Zone 1 REBOA: improved survival and reperfusion injury with intermittent versus continuous REBOA in a porcine severe truncal hemorrhage model. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Jaksha A, Justin G, Davies B, et al: Lateral canthotomy and cantholysis in Operations Iraqi Freedom and Enduring Freedom: 2001-2011. *Ophthalmic Plast Reconstr Surg* 2018;Epub ahead of print

Janak J, Davidson A, Sosnovc J, et al: Response to 'Presenting hypertension, burn injury, and mortality in combat casualties: methodological issues'. *Burns* 2018;Epub ahead of print

Jennings R, Malbon C, Brock F, et al: A preliminary study into injuries due to non-perforating ballistic impacts into soft body armour over the spine. *Injury* 2018;Epub ahead of print

Jimenez C, Vargas J, Vladilo V, Orellana J: Impact of hypothermic stress during special operations training of Chilean Military Forces. *Mil Med* 2018;183:e193-e199

Justin G, Baker K, Brooks D, et al: Intraocular foreign body trauma in Operation Iraqi Freedom and Operation Enduring Freedom: 2001 to 2011. *Ophthalmology* 2018;Epub ahead of print

Le Cornec C, Lariby S, Brenckmann V, et al: Is intravenously administered, subdissociative-dose KETamine non-inferior to MORPHine for prehospital analgesia (the KETAMORPH study): study protocol for a randomized controlled trial. *Trials* 2018;19:260

Lechner R, Küpper T, Tannheimer M: Challenges of military health service support in mountain warfare. *Wilderness Environ Med* 2018;29:266-274

Leeper C, Yazer M, Cladis F, et al: Use of uncrossmatched cold-stored whole blood in injured children with hemorrhagic shock. *JAMA Pediatr* 2018;172:491-492

Lehavi A, Yitzhak A, Jarassy R, et al: Comparison of the performance of battery-operated fluid warmers. *Emerg Med J* 2018;Epub ahead of print

Letson H, Dobson G: 7.5% NaCl resuscitation leads to abnormal clot fibrinolysis after severe hemorrhagic shock and its correction with 7.5% NaCl adenosine, lidocaine, and Mg²⁺. *J Emerg Trauma Shock* 2018;11:15-24

Letson H, Dobson G: Adenosine, lidocaine, and Mg²⁺ (ALM) resuscitation fluid protects against experimental traumatic brain injury. *J Trauma Acute Care Surg* 2018;84:908-916

Li X, Su X, Chen B, et al: Multidisciplinary team approach on a case of bilateral tension pneumothorax. *J Thorac Dis* 2018;10:2528-2536

Lier H, von Heymann C, Korte W, Schelmbach D: Peripartum haemorrhage: haemostatic aspects of the new German PPH guideline. *Transfus Med Hemother* 2018;45:127-135

Loftus A, Pynn H, Parker P: Improvised first aid techniques for terrorist attack. *Emerg Med J* 2018;Epub ahead of print

Lopez N, McCoy S, Carroll C, et al: Non-conventional utilization of the Aintree intubation catheter to facilitate exchange between three supraglottic airways and an endotracheal tube: a cadaveric trial. *Mil Med* 2018;Epub ahead of print

Mancini J, Smith B, Polk T, Schwab W: Forward surgical team experience (FSTE) is associated with increased confidence with combat surgeon trauma skills. *Mil Med* 2018;183:e257-e260

Mannan S, Ali M, Mazur L, et al; The use of tranexamic acid in total elbow replacement to reduce post-operative wound infection. *J Bone Jt Infect* 2018;3:104-107

Manzano-Nunez R, Orlas C, Herrera-Escobar J, et al: A meta-analysis of the incidence of complications associated with groin access after the use of resuscitative endovascular balloon occlusion of the aorta in trauma patients. *J Trauma Acute Care Surg* 2018;Epub head of print

Marsden M, Carden R, Navaratne L, et al: Outcomes following trauma laparotomy for hypotensive trauma patients: a UK military and civilian perspective. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Matsumura Y, Matsumoto J, Kondo H, et al: Early arterial access for REBOA is related to survival outcome in trauma. *J Trauma Acute Care Surg* 2018;Epub ahead of print

McGinity A, Zhu C, Greebon L, et al: Prehospital low-titer cold-stored whole blood: philosophy for ubiquitous utilization of O-positive product for emergency use in hemorrhage due to injury. *J Trauma Acute Care Surg* 2018;84:S115-S119

Mckee J, Mckee I, Bouclin M, et al: Use of the iTClamp versus standard suturing techniques for securing chest tubes a randomized controlled cadaver study. *Turk J Emerg Med* 2018; 18:15-19

McKinley T, McCarroll T, Metzger C, et al: Shock volume: patient-specific cumulative hypoperfusion predicts organ dysfunction in a prospective cohort of multiply injured patients. *J Trauma Acute Care Surg* 2018;85:S84-S91

Menegozzo C, Utiyama E: Steering the wheel towards the standard of care: proposal of a step-by-step ultrasound-guided emergency chest tube drainage and literature review. *Int J Surg* 2018;56:315-319

Miller B, Lin A, Clark S, et al: Red tides: mass casualty and whole blood at sea. *J Trauma Acute Care Surg* 2018;85:S134-S139

Mishra P, Bhoi S, Sinha T: Integration of point-of-care ultrasound during rapid sequence intubation in trauma resuscitation. *J Emerg Trauma Shock* 2018;11:92-97

Moore E, Moore H, Chapman M, et al: Goal-directed hemostatic resuscitation for trauma induced coagulopathy: maintaining homeostasis. *J Trauma Acute Care Surg* 2018;84:S35-S40

Moore H, Moore E, Chapman M, et al: Plasma-first resuscitation to treat haemorrhagic shock during emergency ground transportation in an urban area: a randomised trial. *Lancet* 2018;Epub ahead of print

Morgan L, Graham N: Ether anesthesia in the austere environment: an exposure and education. *J Spec Oper Med* 2018;18:142-146

Motov S, Mann S, Drapkin J, et al: Intravenous subdissociative-dose ketamine versus morphine for acute geriatric pain the emergency department: a randomized controlled trail. *Am J Emerg Med* 2018;Epub ahead of print

Muck A, Givens M, Bebarta V, et al: Emergency physicians at war. *West J Emerg Med* 2018;19:542-547

Naumann D, Hancox J, Raitt J, et al: What fluids are given during air ambulance treatment of patients with trauma in the UK, and what might

Neal M, Reynolds, Nertoty D, et al: Design and implementation of the western Pennsylvania regional Stop the Bleed initiative. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Nessen S, Gurney J, Rasmussen T, et al: Unrealized potential of the US Military Battlefield Trauma System: DOW rate is higher in Iraq and Afghanistan than in Vietnam, but CFR and KIA rate are lower. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Newell N, Pearce P, Spurrier E, et al: Analysis of isolated transverse process fractures sustained during blast-related events. *J Trauma Acute Care Surg* 2018;85:S129-S133

Ng M, Perrott J, Burgess S: Evaluation of tranexamic acid in trauma patients: a retrospective quantitative analysis. *Am J Emerg Med* 2018;Epub ahead of print

Nguyen C, Bordes J, Cungi P, et al: Use of French lyophilized plasma transfusion in severe trauma patients is associated with early plasma transfusion and early transfusion ratio improvement. *J Trauma Acute Care Surg* 2018;84:780-785

Nolan B, Ackery A, Mamakwa S, et al: Care of the injured patients at nursing stations and during air medical transport. *Air Med J* 2018;37:161-164

Northern D, Manley J, Lyon R, et al; Recent advances in austere combat surgery: use of aortic balloon occlusion as well as blood challenges by special operations medical forces in recent combat operations. *J Trauma Acute Care Surg* 2018;85:S98-S103

Oh H, Yoon S, Seo M, et al: Utility of the laryngeal handshake method for identifying the cricothyroid membrane. *Acta Anaesthesiol Scand* 2018;Epub ahead of print

Pace J, Parry N, Vogt K, et al: A clinical prediction model for raised intracranial pressure in patients with traumatic brain injury. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Park H, Glaser J, Florecki K, et al; A novel, minimally invasive approach to assure hemostasis for intercostal bleeding after trauma. *J Trauma Acute Care Surg* 2018;84:1027-1029

Patel J, White J, White P, et al: A contemporary, 7-year analysis of vascular injury from the war in Afghanistan. *J Vasc Surg* 2018;Epub ahead of print

Pati S, Peng Z, Wataha K, et al: Lyophilized plasma attenuates vascular permeability, inflammation and lung injury in hemorrhagic shock. *PLoS One* 2018;13:e0192363

Paydar S, Dalfardi B, Shayan L, et al: Early predictive factors of hypofibrinogenemia in acute trauma patients. *J Emerg Trauma Shock* 2018;11:38-41

Paz D, Thomas K, Primakov D: Ocular injuries and cultural influences in Afghanistan during 5 months of operation enduring freedom. *J Spec Oper Med* 2018;18:77-80

Pierce E, Rapada R, Herder P, et al: Surgery at sea: the effect of simulated high sea stated on surgical performance. *J Spec Oper Med* 2018;18:64-70

Pivalizza E, Stephens C, Sridhar S, et al: Whole blood for resuscitation in adult civilian trauma in 2017; a narrative review. *Anesth Analg* 2018;Epub ahead of print

Polites S, Nygaard R, Reddy P, et al: Multicenter study of crystalloid boluses and transfusion in pediatric trauma- when to go to blood? *J Trauma Acute Care Surg* 2018;85:108-112

Price M, Bixby P, Phillips M, et al: Launch of the National Trauma Research Repository coincides with new data sharing requirements. *Trauma Surg Acute Care Open* 2018;3:e000193

Qasim Z, DuBose J, Rasmussen T, Teeter W: Breaking down silos: the joint statement about the clinical use of resuscitative endovascular balloon occlusion of the aorta (REBOA) warrants revision. *Ann Emerg Med* 2018;72:225-226

Quinn K, Kriss S, Drapkin J, et al: Analgesic efficacy of intranasal ketamine versus intranasal fentanyl for moderate to severe pain in children: a prospective, randomized, double-blind study. *Pediatr Emerg Care* 2018;Epub ahead of print

Rall J, Redman T, Ross E, et al: Comparison of zone 3 resuscitative endovascular balloon occlusion of the aorta and the abdominal aortic and junctional tourniquet in a model of junctional hemorrhage in swine. *J Surg Res* 2018;226:31-39

Redman T, Mayberry K, Mora A, et al: Survey of casualty evacuation missions conducted by the 160th Special Operations Aviation Regiment during the Afghanistan conflict. *J Spec Oper Med* 2018;18:79-85

Redman T, Ross E: A novel expeditionary perfused cadaver model for trauma training in the out-of-hospital setting. *J Emerg Med* 2018;Epub ahead of print

Reed A, Janak J, Orman J, Hudak S: Genitourinary injuries among female U.S. service members during Operation Iraqi Freedom and Operation Enduring Freedom: findings from the trauma outcomes and urogenital health (TOUGH) Project. *Mil Med* 2018;183:e304-e309

Reese J, Sullivan V, Boyer N, Mount C: A non-comparative prospective pilot study of ketamine for sedation in adult septic shock. *Mil Med* 2018;Epub ahead of print

Remy K, Yazer M, Saini A, et al: Effects of platelet-sparing leukocyte reduction and agitation methods on in vitro measures of hemostatic function in cold-stored whole blood. *J Trauma Acute Care Surg* 2018;84:S104-S114

Reynolds P: Old tricks for new dogs? John Caddy and the Victorian origins of TCCC. *J Spec Oper Med* 2018;18:58-62

Reynolds P, Fisher B, McCarter J, et al: Interventioal vitamin C: a strategy for attenuation of coagulopathy and inflammation in swine multiple injuries model. *J Trauma Acute Care Surg* 2018;85:S57-S67

Romagnoli A, Teeter W, Wasicek P, et al: No wire? No Problem: resuscitative endovascular balloon occlusion of the aorta (REBOA) can be performed effectively and more rapidly with a wire-free device. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Rosenfeld J, Mitra B, Smit V, et al: Preparedness for treating victims of terrorist attacks in Australia: learning from recent military experience. *Emerg Med Australas* 2018;Epub ahead of print

Rosenthan M, Ebler D, Weitzel K, et al: Successful acute aorta-caval fistula management in penetrating trauma. *J Trauma Acute Care Surg* 2018;84:1033-1035

Rosignol Y, Huet O, Chapalain X, et al: Compliance with the European trauma guidelines: an observational single centre study. *Transfus Clin Biol* 2018;Epub ahead of print

Samama C, Ickx B, Ozier Y, et al: The place of fibrinogen concentrates in the management of perioperative bleeding: a position paper for the Francophone Working Group on Perioperative Haemostasis (GIHP). *Anaesth Crit Care Pain Med* 2018;Epub ahead of print

Samdal M, Haughland H, Fjeldet C, et al: Static rope evacuation by helicopter emergency medical services in rescue operation in Southeast Norway. *Wilderness Environ Med* 2018;Epub ahead of print

Sanders S, Tien H, Callum J, et al: Fibrinogen concentrates in the Special Operations Forces environment. *Mil Med* 2018;183:e45-e50

Schaeffer C, Galas T, Teruzzi B, et al: Iatrogenic tracheal rupture caused by emergency intubation: a case report. *J Emerg Med* 2018;Epub ahead of print

Scharonow M, Weilbach C: Prehospital point-of-care emergency ultrasound: a cohort study. *Scand J Trauma Resusc Emerg Med* 2018;26:49

Schauer S, Naylor J, Oliver J, et al: An analysis of casualties presenting to military emergency departments in Iraq and Afghanistan. *Am J Emerg Med* 2018;Epub ahead of print

Schauer S, Naylor J, Brown D, et al: A survey of wilderness medicine analgesia practice patterns. *Wilderness Environ Med* 2018;29:211-214

Schauer S, April M, Fisher A, et al: Junctional tourniquet use during combat operations Afghanistan: the prehospital trauma registry experience. *J Spec Oper Med* 2018;18:71-74

Schauer S, Fisher A, April M, et al: Prehospital administration of antibiotic prophylaxis for open combat wounds in AfghanistanL 2013-2014. *J Spec Oper Med* 2018;18:53-56

Seheult J, Bahr M, Anto V, et al: Safety profile of uncrossmatched, cold-stored, low-titer, group O+ whole blood in civilian trauma patients. *Transfusion* 2018;Epub ahead of print

Shappell C, Snyder A, Edelson D, Churpek M: Predictors of in-hospital mortality after rapid response team calls in a 274 hospital nationwide sample. *Crit Care Med* 2018;46:1041-1048

Sharpe J, Magnotti L, Fabian T, Croce M: Evolution of the operative management of colon trauma. *Trauma Surg Acute Care Open* 2017;2:e000092

Sheppard F, Mitchell T, Macko A, et al: Whole blood and hextend: bookends of modern tactical combat casualty field resuscitation and starting point for multifunction resuscitation fluid development. *J Trauma Acute Care Surg* 2018;85:S33-S38

Shiu V, Keller R: The use of QuikClot Combat Gauze during MOHS stages for intra-operative hemostasis. *J Am Acad Dermatol* 2018;Epub ahead of print

Simon M, Tibbits E, Hoareau G, et al: Lower extremity cooling reduces ischemia-reperfusion injury following Zone 3 REBOA in a porcine hemorrhage model. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Simons R: Rural accidental injury and death: the neglected disease of modern trauma systems? *J Trauma Acute Care Surg* 2018;84:972-977

Sivertsen J, Braathen H, Lunde T, et al: Preparation of leukoreduced whole blood transfusion in austere environments; effects of forced filtration, storage agitation, and high temperatures on hemostatic function. *J Trauma Acute Care Surg* 2018;84:S93-S103;85:S27-S32

Skube M, Witthuhn S, Mulier K, et al: Assessment of prehospital hemorrhage and airway care using a simulation model. *J Trauma Acute Care Surg* 2018;85:S27-S32

Smart L, Boyd C, Claus M, et al: Large-volume crystalloid fluid is associated with increased hyaluronan shedding and inflammation in a canine hemorrhagic shock model. *Inflammation* 2018;Epub ahead of print

Sorbello M, Zdravkovic I, Cataldo R, Di Giacinto I: Spring recoil and supraglottic airway devices: lessons from the law of conservation of energy. *Rom J Anaesth Intensive Care* 2018;25:7-9

Sperry J, Guyette F, Brown J, et al: Prehospital plasma during air medical transport in trauma patients at risk for hemorrhagic shock. *N Engl J Med* 2018;379:315-326

Sprigg N, Flaherty K, Appleton J, et al: Tranexamic acid for hyperacute primary intracerebral haemorrhage (TICH-2): an international randomised, placebo-controlled, phase 3 superiority trial. *Lancet* 2018;Epub ahead of print

Staudt A, Gurney J, Valdez-Delgado K, et al: Factors associated with trauma patient's length of stay at Role 2 facilities in Afghanistan, October 2009 to September 2014. *J Trauma Acute Care Surg* 2018;85:S140-S144

Stettler G, Sumislawski J, Moore E, et al: Citrated kaolin thrombelastography (TEG) thresholds for goal-directed therapy in injured patients receiving mass transfusion. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Stockinger Z, Turner C, Gurney J: Abdominal trauma surgery during recent US Combat operations from 2002 to 2016. *J Trauma Acute Care Surg* 2018;85:S122-S128

Strandenes G, Sivertsen J, Eliassen H, et al: Staff officers as blood suppliers: effects of repeated donations and autologous reinfusion of untransfused units. *J Trauma Acute Care Surg* 2018;84:S89-S92

Struck M, Ewens S, Fakler J, et al: Clinical consequences of chest tube malposition in trauma resuscitation: single-center experience. *Eur J Trauma Emerg Surg* 2018;Epub ahead of print

Swol J, Brodie D, Napolitano L, et al: Indication and outcomes of extracorporeal life support in trauma patients. *J Trauma Acute Care Surg* 2018;84:831-837

Sun J, Zheng J, Wang F, et al: Effect of hyperbaric oxygen combined with nimodipine on treatment of diffuse brain injury. *Exp Ther Med* 2018;15:4651-4658

Synnot A, Bragge P, Lunny C, et al: The currency, completeness and quality of systematic reviews of acute management of moderate to severe traumatic brain injury: a comprehensive evidence map. *PLoS One* 2018;13:e0198676

Tadler S, Mickey B: Emerging evidence for antidepressant actions of anesthetic agents. *Curr Opin Anaesthesiol* 2018;Epub ahead of print

Tibbits E, Hoareau G, Simon M, et al: Location is everything: the hemodynamic effects of REBOA in Zone 1 versus Zone 3 of the aorta. *J Trauma Acute Care Surg* 2018;85:101-107

Ting D, Danjoux J: Late-onset traumatic dislocation of laser in situ keratomileusis corneal flaps: a case series with many clinical lessons. *Int Ophthalmol* 2018;Epub ahead of print

Tolles J, Lewis R: Adaptive and platform trials in remote damage control resuscitation. *J Trauma Acute Care Surg* 2018;84:S28-S34

Trabrizi R: Should we use prophylactic tranexamic acid in orthognathic surgery to decrease blood loss? *Int J Oral Maxillofac Surg* 2018;Epub ahead of print

Turner C, Stockinger Z, Bell R, Gurney J: Neurosurgical workload during US combat operations: 2002 to 2016. *J Trauma Acute Care Surg* 2018;85:140-147

Turner C, Stockinger Z, Gurney J: Vascular surgery during U.S. combat operations from 2002 to 2016: analysis of vascular procedures performed to inform military training. *J Trauma Acute Care Surg* 2018;85:S145-S153

Ünlü A, Yilmaz S, Yalcin Ö, et al: Brining PRBC to the point of combat injury: are we there yet? *Turk J Haematol* 2018;Epub ahead of print

Valliere M, Wall P, Busing C: From pull to pressure: effects of tourniquet buckles and straps. *J Am Coll Surg* 2018;Epub ahead of print

Vitalis V, Carfantan C, Montcriol A, et al: Early transfusion on battlefield before admission to role 2: a preliminary observational study during "Barkhane" operations in Sahel. *Injury* 2018;49:903-910

Voelker R: Taking a closer look at the biomarker test for mild traumatic brain injury. *JAMA* 2018;319:2066-2067

Vu E, Wan W, Yeung T, Callaway D: Intramuscular tranexamic acid in tactical and combat settings. *J Spec Oper Med* 2018;18:62-68

Watson H, Shepherd A, Rhodes J, Andrews P: Revisited: a systematic review of therapeutic hypothermia for adult patients following traumatic brain injury. *Crit Care Med* 2018;46:972-979

Weintrob A, Murray C, Xu J, et al: Early infections complicating the care of combat casualties from Iraq and Afghanistan. *Surg Infect* 2018;19:286-297

Werner J, Hunsicker O, Schneider A, et al: Balanced 10% hydroxyethyl starch compared with balanced 6% hydroxyethyl starch and balanced crystalloid using goal-directed hemodynamic algorithm in pancreatic surgery: a randomized clinical trial. *Medicine* 2018;97:e0579

Wijayatilake D, Nielsen D, Baker E, Patil V: Traumatic brain injured patients: primum non nocere. *Curr Opin Anaesthesiol* 2018;Epub ahead of print

Woolley T, Thompson P, Kirkman E, et al: Trauma Hemostasis and Oxygenation Research Network position paper on the role on hypotensive resuscitation as part remote damage control resuscitation. *J Trauma Acute Care Surg* 2018;84:S3-S13

Wu S, Wu D: Active bleeding from intercostal artery pseudoaneurysm after a percutaneous tube thoracostomy. *BMJ Case Rep* 2018;

Yazer M, Cap A, Spinella P: Raising the standard on whole blood. *J Trauma Acute Care Surg* 2018;84:S14-S17

Yazer M, Spinella P: Activities of the THOR-AABB Working Party. *J Trauma Acute Care Surg* 2018;84:S18-S20

Yee D, Deolankar R, Marcantoni J, Liang S: Tibial osteomyelitis following prehospital intraosseous access. *Clin Pract Cases Emerg Med* 20107;1:391-394

Yeow C, Greaney L, Foy C, et al: Evaluation of a novel cricothyroidotomy introducer in a simulated obese porcine model: a randomized, crossover comparison with scalpel cricothyroidotomy. *Anaesthesia* 2018;Epub ahead of print

Zhang M, Cowan T, Smiles J, et al: Prehospital analgesic choice in injured patients does not impact on rates of vomiting: experience from a New South Wales primary retrieval service. *Emerg Med Australas* 2018;30:406-411

Zonies D, Elterman J, Burns C, et al: Trauma patients are safe to fly 72 hours after tube thoracostomy. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Zoremba N, Bruells C, Rossaint R, Breuer T: Heating capabilities of small fluid warming systems. *BMC Anesthesiol* 2018;18:98