

TCCC Journal Watch

February 2019

Abramson T, Alreshaid L, Kang T, et al; Fasciotomy: ultrasound evaluation of an intraosseous needle causing compartment syndrome. *Clin Pract Cases Emerg Med* 2018;2:323-325

Adnan S, Wasicek P, Crawford A, et al: Endovascular control of pelvic hemorrhage: concomitant use of resuscitative endovascular balloon occlusion of the aorta and endovascular intervention. *J Trauma Acute Care Surg* 2019;86:155-159

Ahmad I, Onwochei D, Muldoon S, et al: Airway management research: a systematic review. *Anaesthesia* 2018;Epub ahead of print

Alexis R, Jagdish S, Sukumar S, et al: Clinical profile and autopsy findings in fatal head injuries. *J Emerg Trauma Shock* 2018;11:205-210

Al-Hassani A, Strandvik G, El-Menyar A, et al: Functional outcomes in moderate-to-severe traumatic brain injury survivors. *J Emerg Trauma Shock* 2018;11:197-204

Ali F: Oral tranexamic acid for the treatment of melasma. *Clin Exp Dermatol* 2018;Epub ahead of print

Alpert E, Weiser G, Kobliner D, et al: Challenges in implementing international standards for the field hospital emergency department in a disaster zone: the Israeli experience. *J Emerg Med* 2018;55:682-687

Al-Sabah S, Al-Haddad E, Al-Saleh F: Stop the bleed campaign: a qualitative study from our experience from the middle east. *Ann Med Surg* 2018;36:67-70

Amer E, El-Rahman Abbas A: Ocular compartment syndrome and lateral canthotomy procedure. *J Emerg Med* 2019;Epub ahead of print

April M, Arana A, Pallin D, et al: Emergency department intubation success with succinylcholine versus rocuronium: a national emergency airway registry study. *Ann Emerg Med* 2018;72:645-653

Aso S, Yasunaga H: Re: Indication and survival bias: threats to resuscitative endovascular balloon occlusion of the aorta (REBOA) outcomes research. *J Trauma Acute Care Surg* 2018;85:1132

Atanelov Z, Rebstock S: Nasopharyngeal airway. StatPearls 2018 Dec 14

Awad M, Yaghoubian S: A case report of an inadvertent placement of tracheostomy tube into the pharynx after emergency tracheostomy: management of a failed surgical airway. A A Pract 2018;Epub ahead of print

Bebarta V, Garrett N, Boudreau S, Castaneda M: Intravenous hydroxocobalamin versus Hextend control for class III hemorrhage resuscitation in a prehospital swine model. Mil Med 2018;183:e721-e729

Bedaso A, Geja E, Ayalew M, et al: Post-concussion syndrome among patients experiencing head injury attending emergency department of Hawassa University comprehensive specialized hospital: Hawassa, southern Ethiopia. J Headache Pain 2018;19:112

Bekker A, Kloopping C, Collingwood S: Meloxicam in the management of post-operative pain: a narrative review. J Anaesthesiol Clin Pharmacol 2018;34:450-457

Bhatti F, Naiman M, Tsarev A, Kulstad E: Esophageal temperature management in patients suffering from traumatic brain injury. Ther Hypothermia Temp Manag 2019;Epub ahead of print

Brodbeck A, Bothma P, Pease J: Venous air embolism: ultrasonographic diagnosis and treatment with hyperbaric oxygen therapy. Br J Anaesth 2018;121:1215-1217

Brodsky M, Levy M, Jedlanek E, et al: Laryngeal injury and upper airway symptoms after oral endotracheal intubation with mechanical ventilation during critical care: a systematic review. Crit Care Med 2018;46:2010-2017

Bruijstems L, Titulaer I, Scheffer G, et al: Emergency front-of-neck airway by ENT surgeons and residents: a Dutch national survey. Laryngoscope Investig Otolaryngol 2018;3:356-262

Burke J, Yue J, Ngwenya L, et al: Ultra-early (<12 hours) surgery correlates with higher rate of American Spinal Injury Association impairment scale conversion after cervical spinal cord injury. Neurosurgery 2018;Epub ahead of print

Carneiro A, Diaz P, Vieira M, et al: Cerebral venous air embolism: a rare phenomenon. Eur J Case Rep Intern Med 2019;6:001011

Cartotto R, Taylor S, Holmes J, et al: The effects of storage age of blood in massively transfused burn patients: a secondary analysis of the randomized transfusion requirement in burn care evaluation study. *Crit Care Med* 2018;46:e1097-e1104

Carver T, Kugler N, Juul J, et al: Ketamine infusion for pain control in adult patients with multiple rib fractures: results of a randomized control trial. *J Trauma Acute Care Surg* 2019;86:181-188

Chambers J, Page-Sharp M, Salman S, et al: Ertapenem for osteoarticular infections in obese patients: a pharmacokinetic study of plasma and bone concentrations. *Eur J Clin Pharmacol* 2018;Epub ahead of print

Chan D, Tsang A, Li L, et al: Improving survival with tranexamic acid in cerebral contusions or traumatic subarachnoid hemorrhage: univariate and multivariate analysis on independent factors associated with lower mortality. *World Neurosurg* 2019;Epub ahead of print

Chaudhary M, McCarty J, Shah S, et al: Building community resilience: a scalable model for hemorrhage-control training at a mass gathering site, using the RE-AIM framework. *Surgery*; Epub ahead of print

Chiang C, Chang W, Ho C, et al: Radial artery occlusion with a kaolin-filled pad after trans-radial cardiac catheterization. *Medicine* 2018;97:e13134

Chin V, Cope S, Yeh C, et al: Massive hemorrhage protocol survey: marked variability and absent in one-third of hospitals in Ontario, Canada. *Injury* 2018;Epub ahead of print

Clemens M, Stull M, Rall J, et al: Extracorporeal filtration of potassium in a swine model of bilateral hind limb ischemia-reperfusion injury with severe acute hyperkalemia. *Mil Med* 2018;183:e335-e340

Coats T, Fragoso-Iñiguez M, Roberts I: Implementation of tranexamic acid for bleeding trauma patients: a longitudinal and cross-sectional study. *Emerg Med J* 2018;Epub ahead of print

Condrón M, Scanlan M, Schreiber M: Massive transfusion of low-titer cold-stored O-positive whole blood in a civilian trauma setting. *Transfusion* 2018;Epub ahead of print

Court J, Lu L, Wang N, McGhee C: Visual and ocular morbidity in severe open globe injuries presenting to a regional eye centre in New Zealand. *Clin Exp Ophthalmol* 2018;Epub ahead of print

David J, Bouzart P: Prehospital plasma during air medical transport in trauma patients. *N Engl J Med* 2018;379:1783

De Schoutheete J, Fournay I, Waroquier F, et al: Three cases of resuscitative endovascular balloon occlusion of the aorta (REBOA) in austere pre-hospital environmental-technical and methodological aspects. *World J Emerg Surg* 2018;13:54

Dehghani A, Rafiemanzelat A, Ghaderi K, et al: Post-traumatic endophthalmitis prophylaxis with oral ciprofloxacin in comparison to intravenous cephalosporin/gentamicin. *J Res Med Sci* 2018;23:98

Derickson M, Kuckleman J, Phillips C, et al: Lifesaving interventions in blackout conditions using night vision technology: come to the dark side. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Drake S, Holcomb J, Yang Y, et al: Establishing a regional trauma preventable/potentially preventable death rate. *Ann Surg* 2018; Epub ahead of print

Dries D: Burn resuscitation: don't forget the feeds. *Crit Care Med* 2018;46:2060-2062

Drucker N, Wang S, Newton C: Pediatric trauma-related coagulopathy: balanced resuscitation, goal-directed therapy and viscoelastic assays. *Semin Pediatr Surg* 2019;28:61-66

Dulou R, Pasquier P, Avaro J, et al: Re: Neurosurgical activity by deployed military non-neurosurgeons: is predeployment training enough? *J Trauma Acute Care Surg* 2018;85:1130

Dutton R: Next-level thinking about mass casualty care. *J Trauma Acute Care Surg* 2019;86:368-369

Feld F: Removal of the long spine board from clinical practice: a historical perspective. *J Athl Train*;2018;53:752-755

Fennessy P, Drew T, Husarova V, et al: Emergency cricothyroidotomy: an observational study to estimate optimal incision position and length. *Br J Anaesth* 2019;122:263-268

Ferguson I, Bliss J, Aneman A: Does the addition of fentanyl to ketamine improve haemodynamics, intubating conditions or mortality in emergency department intubation: a systematic review. *Acta Anaesthesiol Scand* 2019;Epub ahead of print

Ferreira D, Cruz R, Venâncio C, et al: Evaluation of renal injury caused by acute volume replacement with hydroxyethyl starch 130/0.4 of Ringer's lactate solution in pigs. *J Vet Sci* 2018;19:608-619

Forti A, Brugnaro P, Rauch S, et al: Hypothermic cardiac arrest with full neurologic recovery after approximately nine hours of cardiopulmonary resuscitation: management and possible complications. *Ann Emerg Med* 2019;73:52-57

Friederich A, Martin N, Swanson M, et al: Normal saline solution and lactated Ringer's solution have a similar effect on quality of recovery: a randomized controlled trial. *Ann Emerg Med* 2019;73:160-169

Goodwin T, Moore K, Pasley J, et al: From the battlefield to main street: tourniquet acceptance, use, and translation from the military to civilian settings. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Gottlieb M, Holladay D, Peksa G: Ultrasonography for the confirmation of endotracheal tube intubation: a systematic review and meta-analysis. *Ann Emerg Med* 2018;72:627-636

Hakki L, Smith A, Babin J, et al: Effects of a fragmenting handgun bullet: considerations for trauma care providers. *Injury* 2019;Epub ahead of print

Hayashida K, Matsumoto S, Kitano M, Sasaki J: Predictive value of quick surgical airway assessment for trauma (qSAT) score for identifying trauma patients requiring surgical airway in emergency room. *BMC Emerg Med* 2018;18:48

Helin T, Zuurveld M, Manninen M, et al: Hemostatic profile under fluid resuscitation during rivaroxaban anticoagulation: an in vitro survey. *Transfusion* 2018;58:3014-3026

Higginson R: Causes of hypothermia and the use of patient-rewarming techniques. *Br J Nurse* 2018;27:1222-1224

Hussmann B, Schoeneberg C, Jungbluth P, et al: Enhanced prehospital volume therapy does not lead to improved outcomes in severely injured patients with severe traumatic brain injury. *BMC Emerg Med* 2019;19:13

Huerfano E, Huerfano M, Shanaghan K, Gonzalez Della Valle A: Topical tranexamic acid in revision total knee arthroplasty reduces transfusion rates and may be associated with earlier recovery. *J Arthroplasty* 2018;Epub ahead of print

Hyldmo P, Horodyski M, Conrad B, et al: Does the novel lateral trauma position cause more motion in an unstable cervical spine injury than the logroll maneuver? *Am J Emerg Med* 2018;35:1630-1635

Jamme S, Poletti A, Gamulin A, et al: False negative computed tomography scan due to pelvic binder in a patient with pelvic disruption: a case report and review of the literature. *J Med Case Rep* 2018;12:271

Jin L, Medeck S, Ruley J, et al: Guidewire intravenous catheter systems do not improve first-pass success rates for peripheral access when placed by army combat medics (68W) in a pre-hospital setting: A prospective, randomized controlled trial with crossover study design. *Mil Med* 2018;183:e730-e734

Jochems D, van Wessem K, Houwert R, et al: Outcome in patients with isolated moderate to severe traumatic brain injury. *Crit Care Res Pract* 2018;doi:10.1155/2018/3769418

Kantar Y, Durukan P, Hasdiraz L, et al: An analysis of patients who underwent tube thoracostomy in the emergency department: a single center study. *Turk Thorac J* 2019;20:25-29

Karnjanasavitree W, Phuenpathom N, Tunthanathip T: The optimal operative timing of traumatic intracranial acute subdural hematoma correlated with outcome. *Asian J Neurosurg* 2018;13:1158-1164

Khan M, Mujahid M: A review on recent advances in chitosan-based composite for hemostatic dressings. *Int J Biol Macromol* 2018;Epub ahead of print

Khomenko I, Tsema I, Shklyarevych P, et al: Pulmonary artery embolism by a metal fragment after a booby trap explosion in a combat patient injured in the armed conflict in East Ukraine: a case report and review of literature. *J Med Case Rep* 2018;12:330

Kim M, Lee J, Lee S: Factors predicting the need for hemorrhage control intervention in patients with blunt pelvic trauma: a retrospective study. *BMC Surg* 2018;18:101

Kulla M, Popp E, Knapp J: Resuscitative endovascular balloon occlusion of the aorta: an option for noncompressible torso hemorrhage? *Curr Opin Anaesthesiol* 2019;Epub ahead of print

Le Fevre P, Gough C, Hearne B, et al: A trial comparing emergency front of neck airway performance in a novel obese-synthetic neck, meat-modified obese neck and conventional slim manikin. *Anaesthesia* 2019;Epub ahead of print

Lehavi A, Yitzhak A, Jarassy R, et al: Comparison of the performance of battery-operated fluid warmers. *Emerg Med J* 2018;35:564-570

Lester E, Fox E, Holcomb J, et al: The impact of hypothermia on outcomes in massively transfused patients. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Liu Q, Carney R, Sohn J, et al: Single-donor spray-dried plasma. *Transfusion* 2018;Epub ahead of print

Long B, April M: What physiologic parameters are indicative of severe injury in trauma? *Ann Emerg Med* 2019;73:76-78

Lu V, Goyal A, Daniels D: Tranexamic acid decreases blood transfusion burden in open craniostomy surgery without operative compromise. *J Craniofac Surg* ;Epub ahead of print

Ludeña J, Bellas J, Rementeria R, Muñoz-Alameda L: Assessment of awake i-gel™ insertion for fiberoptic-guided intubation in patients with predicted difficult airway: a prospective, observational study. *J Anaesthesiol Clin Pharmacol* 2018;34:490-495

MacDonald R: Articles that may change your practice: prehospital plasma. *Air Med J* 2019;38:12-13

Makris M, Iorio A: Prehospital fresh frozen plasma: universal life saver or treatment in search of a target population? *Res Pract Thromb Haemost* 2018;3:12-14

Malagutti N, Laora A, Barbetta C, et al: Is peripheral oxygen saturation a reliable predictor of upper airway air-flow limitation? *J Emerg Med* 2018;55:627-634

Martin M, Holcomb J, Polk T, et al: The “top 10” research and development priorities for battlefield surgical care: results from the Committee on Surgical Combat Casualty Care research gap analysis. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Martin M, Rasmussen T, Knudson M, Elster E: Heeding the call: military-civilian partnership as a foundation for enhanced mass casualty care in the United States. *J Trauma Acute Care Surg* 2018;85:1123-1126

McCracken G: Statistical significance comparing cricothyroidotomy techniques. *Anaesthesia* 2019;74:249-250

Mckee J, Mckee I, Ball C, et al: The iTclamp in the prehospital treatment of craniomaxillofacial injury: a case series study. *J Inj Violence Res* 2018;12:11

Mckee J, Mckee I, Bouclin M, et al: A randomized controlled trial using iTclamp, direct pressure, and balloon catheter tamponade to control neck hemorrhage in a perfused human cadaver model. *J Emerg Med* 2019;Epub ahead of print

McNickle A, Fraser D, Chestovich P, et al: Effect of prehospital tourniquets on resuscitation in extremity arterial trauma. *Trauma Surg Acute Care Open* 2019;Epub ahead of print

Mende K, Stewart L, Shaikh F, et al: Microbiology of combat-related extremity wounds: trauma infectious disease outcomes study. *Diagn Microbiol Infect Dis* 2018;Epub ahead of print

Mendonca C, Tourville C, Jefferson H, et al: Fiberoptic-guided tracheal intubation through i-gel® and LMA®Protector™ supraglottic airway devices- a randomised comparison. *Anaesthesia* 2018;Epub ahead of print

Merck L, Yeatts S, Silbergleit R, et al: The effect of goal-directed therapy on patient morbidity and mortality after traumatic brain injury, results from the progesterone for the Treatment of Traumatic Crain Injury III Clinic Trial. *Crit Care Med* 2019;Epub ahead of print

Mody P, Brown S, Kudenchuk P, et al: Intraosseous versus intravenous access in patients with out-of-hospital cardiac arrest: insights form the resuscitation outcomes consortium continuous chest compression trial. *Resuscitation* 2018;Epub ahead of print

Morrison G, Koch J, Royds M, et al: Fibrinogen concentrate vs. fresh frozen plasma for the management of coagulopathy during thoraco-abdominal aortic aneurysm surgery: a pilot randomised controlled trial. *Anaesthesia* 2018;Epub ahead of print

Nam J, Colombo C, Mount C, et al: Critical care in the military health system: a survey-based summary of critical care services. *Mil Med* 2018;183:e471-e477

Naumann D, Khan M, Smith J, et al: Future strategies for remote damage control resuscitation after traumatic hemorrhage. *J Trauma Acute Care Surg* 2019;163-166

Neeki M, Dong F, Toy J, et al: Tranexamic acid in civilian trauma care in the California prehospital antifibrinolytic therapy study. *West J Emerg Med* 2018;19:977-986

Nettesheim N, Powell D, Vasios W, et al: Telemedical support for military medicine. *Mil Med* 2018;183:11-12

Netzer I, Kirkpatrick A, Nissan M, et al: Rebrum Coelis: the contribution of real-time telementoring in acute trauma scenarios- a randomized controlled trial. *Telemed J E Health* 2019;Epub ahead of print

Oakeshott J, Griggs J, Wareham G, et al: Feasibility of prehospital freeze-dried plasma administration in a UK helicopter emergency medical service. *Eur J Emerg Med* 2018;Epub ahead of print

Otsuka H, Fukushima T, Tsubouchi Y, et al: Current strategy for hollow viscus injury with active bleeding: a case report. *SAGE Open Med Case Rep* 2019;doi:10.1177/2050313x18824816

Pakkanen T, Nurmi J, Huhtala H, Silfvast T: Prehospital on-scene anaesthetist treating severe traumatic brain injury patients is associated with lower mortality and better neurological outcome. *Scand J Trauma Resusc Emerg Med* 2019;27:9

Paydar S, Mahmoudi Nezhad G, Karami M, et al: Stereological comparison of imbibed fibrinogen gauze versus simple gauze in external packing of grade IV liver injury in rats. *Bull Emerg Trauma* 2019;7:41-48

Pélieu I, Kull C, Walder B: Prehospital and emergency care in adult patients with acute traumatic brain injury. *Med Sci* 2019;Epub ahead of print

Peralta R, Chowdary P: The use of new procoagulants in blunt and penetrating trauma. *Curr Opin Anaesthesiol* 2019;Epub ahead of print

Ponsford J, Nguyen S, Downing M, et al: Factors associated with persistent post-concussion symptoms following mild traumatic brain injury in adults. *J Rehabil Med* 2018;Epub ahead of print

Porter K, Dayan A, Dickerson S, Middleton P: The role of inhaled methoxyflurane in acute pain management. *Open Access Emerg Med* 2018;10:149-164

Prabha R, Raman R, Khan M, et al: Comparison of I-gel for general anaesthesia in obese and nonobese patients. *Saudi J Anaesth* 2018;12:535-539

Prasad R, Patki A, Padhy S, Ramchandran G: Single intravenous bolus versus perioperative continuous infusion of tranexamic acid to reduce blood loss in abdominal oncosurgical procedure: a prospective randomized double-blind clinical study. *J Anaesthesiol Clin Pharmacol* 2018;34:529-534

Pu H, Doig G, Heighes P, Allingstrup M: Early enteral nutrition reduces mortality and improves other key outcomes in patients with major burn injury: a meta-analysis of randomized controlled trials. *Crit Car Med* 2018;46:2036-2042

Rahe-Meyer N, Levy J, Mazer C, et al: Randomized evaluation of fibrinogen versus placebo in complex cardiovascular surgery: post hoc analysis and interpretation of phase III results. *Interact Cardiovasc Thorac Surg* 2018;Epub ahead of print

Rechberger T, Mack R, McCallum S, et al: Analgesic efficacy and safety of intravenous meloxicam in subjects with moderate-to-severe pain after open abdominal hysterectomy: a phase 2 randomized clinical trial. *Anesth Analg* 2018; Epub ahead of print

Richards J, Conti B, Grissom T: Care of the severely injured orthopedic trauma patient: considerations for initial management, operative timing, and ongoing resuscitation. *Adv Anesth* 2018;36:1-22

Sabu, Elangovan D, Pragasam A, et al: Efficacy ratio: a tool to enhance optimal antimicrobial use for intra-abdominal infections. *Indian J Pharmacol* 2018;50:332-335

Schäfer I, Hopchet M, Vandamme N, et al: Trauma and trauma care in Europe. *Eur J Psychotraumatol* 2018;Epub ahead of print

Schaller S, Kappler F, Hofberger C, et al: Differences in pain treatment between surgeons and anaesthesiologist in a physician staffed prehospital emergency medical service: a retrospective cohort analysis. *BMC Anesthesiol* 2019;19:18

Schauer S, Naylor J, April M, et al: The first 30 months experience in the non-doctrinal operation inherent resolve medical theater. *Mil Med* 2018;Epub ahead of print

Scher C, Mansky R: Thoracic trauma in military settings: a review of current practices and recommendations. *Curr Opin Anaesthesiol* 2019; Epub ahead of print

Schober P, Biesheuvel T, deLeeuw M, et al: Prehospital cricothyrotomies in a helicopter emergency medical service: analysis of 19,382 dispatch. *BMC Emerg Med* 2019;19:12

Seo D, Shin S, Song K, et al: Effects of hypoxia on mortality and disability in traumatic brain injury according to shock status: a cross-sectional analysis. *Am J Emerg Med* 2018;Epub ahead of print

Sheppard F, Schaub L, Cap A, et al: Whole blood mitigates the acute coagulopathy of trauma and avoids the coagulopathy of crystalloid resuscitation. *J Trauma Acute Care Surg* 2018;85:1055-1062

Shin-Kim J, Zaplosky N, Wan E, et al: Left ventricular perforation with catheter decompression: case report and review of complications. *Am J Emerg Med* 2018;Epub ahead of print

Shlaifer A, Siman-Tov M, Radomislensky I, et al: The impact of prehospital administration of freeze-dried plasma on casualty outcome. *J Trauma Acute Care Surg* 2019;86:108-115

Singh N, Gimpel D, Zaman Z, et al: A novel treatment option in the management of traumatic hemothorax. *J Trauma Acute Care Surg* 2019;86:374-375

Smith S, DaCambra M, McAlister V: Impact of traumatic upper-extremity amputation on the outcome of injury caused by an antipersonnel improvised explosive device. *Can J Surg* 2018;61:S203-S207

Srivastava P, Agarwal A, Jha A, et al: Utility of prothrombin complex concentrate as first-line treatment modality of coagulopathy in patients undergoing liver transplantation: a propensity score-matched study. *Clin Transplant* 2018;Epub ahead of print

Ten Brinke J, Groen S, Dehnad M, et al: Prehospital care of spinal injuries: a historical quest for reasoning and evidence. *Eur Spine J* 2018;27:2999-3006

Thomas S, Schechtman D, Walters T, Kauvar D: Predictors and timing of amputations in military lower extremity trauma with arterial injury. *J Trauma Acute Care Surg* 2019; Epub ahead of print

Thomasson R, Yazer M, Gorham J, et al: International assessment of massive transfusion protocol contents and indications for activation. *Transfusion* 2019;Epub ahead of print

Undurraga Perl V, Johnson C, Kelley S, et al: Missed injuries in combat casualties: lessons from Iraq and Afghanistan. *Injury* 2019;Epub ahead of print

Vahedi H, Hajebi H, Vahidi E, et al: Comparison between intravenous morphine versus fentanyl in acute pain relief in drug abusers with acute limb traumatic injury. *World J Emerg Med* 2019;10:37-32

Vermeersch V, Huet O: Prophylactic hypothermia for traumatic brain injury patients: it is not cool to be cooled. *Anaesth Crit Care Pain Med* 2019;Epub ahead of print

Wang J, Fang Y, Ramesh S, et al: Intraosseous administration of 23.4% NaCl for treatment of intracranial hypertension. *Neurocrit Care* 2018;Epub ahead of print

Weatherholt A, Vanwye W, Lohmann J, Owens J: The effect of cuff width for determining limb occlusion pressure: a comparison of blood flow restriction devices. *Int J Excer Sci* 2019;12:136-143

Wlodarczyk AJ, Thomas A, Schroll R, et al: To shunt or not to shunt in combined orthopedic and vascular extremity trauma. *J Trauma Acute Care Surg* 2018;85:1038-1042

Xue P, Yang J, Xu X, et al: The efficacy and safety of tranexamic acid in reducing perioperative blood loss in patients with multilevel thoracic spinal stenosis: a retrospective observational study. *Medicine* 2018;97:e13643

Yemeni K, Burke J, Tuchman A, et al: Topical tranexamic acid in spinal surgery: a systematic review and meta-analysis. *J Clin Neurosci* 2018; Epub ahead of print

Yeung L, McDonald A, Como J, et al: Management of blunt force bladder injuries: a practice-management guideline for the Eastern Association for the Surgery of Trauma. *J Trauma Acute Care Surg* 2019;86:326-336

November 2018

Al-Anee A, Al-Quisi A, Al-Jumaily H: Mandibular war injuries caused by bullets and shell fragments: a comparative study. *Oral Maxillofac Surg* 2018;22:303-307

Alterie J, Dennis A, Baig A, et al: Does pain have a role when it comes to tourniquet training? *J Spec Oper Med* 2018;18:71-74

Anand T, Skinner R: Vitamin C in burns, sepsis, and trauma. *J Trauma Acute Care Surg* 2018;J Trauma Acute Care Surg 2018;85:782-787

Aoki M, Abe T, Saitoh D et al: Use of vasopressors increases the risk of mortality in traumatic hemorrhagic shock: a nationwide cohort study in Japan. *Crit Care Med* 2018;Epub ahead of print

Ashkenazi I, Sevi R, Turégano-Fuentes F, et al: Hemodynamic consequences of extremity injuries following a terrorist bombing attack: retrospective cohort study. *Eur J Trauma Emerg Surg* 2018;Epub ahead of print

Auten J, Mclean J, Kemp J, et al: A pilot study for four intraosseous blood transfusion strategies. *J Spec Oper Med* 2018;18:50-56

Beaven A, Ballard M, Sellon E, et al: The Combat Application Tourniquet versus the Tactical Mechanical Tourniquet. *J Spec Oper Med* 2018;18:75-78

Benger J, Kirby K, Black S, et al: Effect of a strategy of a supraglottic airway device vs tracheal intubation during out-of-hospital cardiac arrest on functional outcome: the AIRWAYS-2 randomized clinical trial. *JAMA* 2018;320:779-791

Bielski A, Rivas E, Ruetzler K, et al: Comparison of blind intubation via supraglottic airway devices versus standard intubation during different airway emergency scenarios in inexperienced hand: randomized, crossover manikin trial. *Medicine* 2018;97:e12593

Blaine C, Abbott M, Jacobson E: Prolonged field care in support of Operation Inherent Resolve, 2016. *J Spec Oper Med* 2018;18:120-123

Bowry R, Nour M, Kus T, et al: Intraosseous administration of tissue plasminogen activator on a mobile stroke unit. *Prehosp Emerg Care* 2018;Epub ahead of print

Bradley M, Rodriguez C, Ritter E, Bailey J: Laparoscopy in a combat theater of operations. *J Trauma Acute Care Surg* 2018;85:648-649

Brännström A, Rocksén D, Harttman J, et al: Abdominal aortic and junctional tourniquet release after 240 minutes is survivable and associated with small intestine and liver ischemia after porcine class II hemorrhage. *J Trauma Acute Care Surg* 2018;85:717-724

Braude D, Davis D: Out-of-hospital medication-facilitated airway management: important lessons and limitations. *Ann Emerg Med* 2018;72:280-281

Brown J, Gestring M, Leeper C, et al: Characterizing injury severity in non-accidental trauma: does injury severity-score miss the mark? *J Trauma Acute Care Surg* 2018;85:668-673

Brusalis C, Bostrom M, Richardson S; Has tranexamic acid in total knee arthroplasty made tourniquet use obsolete? *HSS J* 2018;41:338-340

Butler FK: Tactical Combat Casualty Care for Medical Personnel (TCCC-MP): recommended post-course metrics (24 July 2018). *J Spec Oper Med* 2018;18:136-146

Calvo R, Bansal V, Dunne C, et al: A population-based analysis of outcomes after repair of thoracic aortic emergencies in trauma. *J Surg Res* 2018;231:352-360

Cannon J, Morrison J, Lauer C, et al: Resuscitative endovascular balloon occlusion of the aorta (REBOA) for hemorrhagic shock. *Mil Med* 2018;183:55-59

Cap A, Badloe J, Woolley T, et al: The use of frozen and deglycerolized red blood cells. *Mil Med* 2018;183:52-54

Cap A, Beckett A, Benov A, et al: Whole blood transfusion. *Mil Med* 2018;183:44-51

Cap A, Pidcoke H, Spinella P, et al: Damage control resuscitation. *Mil Med* 2018;183:36-43

Carlson J, Wang H: Updates in emergency airway management. *Curr Opin Crit Care* 2018;Epub ahead of print

Carrara M, Babini G, Baselli G, et al: Blood pressure variability, heart functionality, and ventricular tissue alterations in a protocol of severe hemorrhagic shock and resuscitation. *J Appl Physiol* 2018;125:1011-1020

Chiara O, Cimbanassi S, Bellanova G, et al: A systematic review on the use of topical hemostats in trauma and emergency surgery. *BMC Surg* 2018;18:68

Crossen M, van der Brande R, Lingsma H, et al: Prehospital trauma care among 68 European neurotrauma centers: results of the CENTER-TBI provider profiling questionnaires. *J Neurotrauma* 2018;Epub ahead of print

Cripps M, Corneluis C, Nakonezny P, et al: In vitro effects of a kaolin-coated hemostatic dressing on anticoagulated blood. *J Trauma Acute Care Surg* 2018;85:485-490

Cunningham A, Auerbach M, Cicero M, Jafri M: Tourniquet usage in prehospital care and resuscitation of pediatric trauma patients: Pediatric Trauma Society position statement. *J Trauma Acute Care Surg* 2018;85:665-667

Darwazeh R, Darwazeh M, Sbeih I, et al: Traumatic brain injury caused by missile wounds in the north of Palestine: a single institution's experience with 520 consecutive civilian patients. *World Neurosurg* 2018;116:e329-e339

David J, Bouzat P: Prehospital plasma during air medical transport in trauma patients. *N Engl J Med* 2018;379:1783

DeArmond D, Das N, Restrepo C, et al: Pleural electrical impedance is a sensitive, real-time indicator of pneumothorax. *J Surg Res* 2018;231:15-23

DeMario V, Sikorski R, Efron D, et al: Blood utilization and mortality in victims of gun violence. *Transfusion* 2018;Epub ahead of print

DePorre A, Schechtman S, Hogikyan N, et al: Airway management and clinical outcomes in external laryngeal trauma: a case series. *Anesth Analg* 2018;Epub ahead of print

Dhillon N, Dodd B, Hotz H, et al: What happens after a stop the bleed class? The contrast between theory and practice. *J Surg Educ* 2018;Epub ahead of print

Dickson R, Gleisberg G, Aiken M, et al: Emergency medical services simple thoracostomy for traumatic cardiac arrest: post-implementation experience in a ground-based suburban/rural emergency medical services agency. *J Emerg Med* 2018;55:366-371

Dixit A, Ramaswamy K, Perera S, et al: Impact of change in head and neck position on ultrasound localization of the cricothyroid membrane: an observational study. *Anaesthesia* 2018;Epub ahead of print

Douma M, Picard C, O'Dochartaigh D, Brindley P: Proximal external aortic compression for life-threatening abdominal-pelvic and junctional tourniquet

hemorrhage: a ultrasonic study in adult volunteers. *Prehosp Emerg Care* 2018;Epub ahead of print

Driscoll I, Mann-Salinas E, Boyer N, et al: Burn casualty care in the deployed setting. *Mil Med* 2018;183:161-167

Esquivel C, Parker M, Curtis K, et al: Aural blast injury/acoustic trauma and hearing loss. *Mil Med* 2018;183:78-82

Farber S, Kantar R, Rodriguez E: Facial trauma care in the austere environment. *J Spec Oper Med* 2018;18:62-66

Farrell D, Bendo A: Perioperative management of severe traumatic brain injury: what is new? *Curr Anesthesiol Rep* 2018;8:279-289

Flecha I, Naylor J, Schauer S, et al: Combat lifesaver-trained, first-responder application of junctional tourniquets: a prospective, randomized, crossover trial. *Mil Med Res* 2018;5:31

Fuller B: Fluid, fluid everywhere, and all the organs did not shrink; fluid, fluid everywhere, administered without a think. *Crit Care Med* 2018;46:1692-1693

Gala S, Crandall M: Global collaboration to modernize advanced trauma life support training. *J Surg Educ* 2018;Epub ahead of print

Garraud O, Aubron C, Ozier Y, et al: Plasma for direct therapeutic use for today and tomorrow: a short critical overview. *Transfus Clin Biol* 2018;Epub ahead of print

Gauger V, Rooney D, Kovatch K, et al: A multidisciplinary international collaborative implementing low cost, high fidelity 3-D printed airway models to enhance Ethiopian anesthesia resident emergency cricothyroidotomy skills. *Int J Pediatr Otorhinolaryngol* 2018;114:124-128

Giesbrecht G: "Cold Card" to guide responders in the assessment and care of cold exposed patients. *Wilderness Environ Med* 2018;Epub ahead of print

Godbey E, Schwartz J: 'Massive transfusion protocols and the use of tranexamic acid.' *Curr Opin Hematol* 2018;Epub ahead of print

Goolsby C, Rouse E, Rojas L, et al: Post-mortem evaluation of potentially survivable hemorrhagic death in a civilian population. *J Am Coll Surg* 2018;Epub ahead of print

Gordon W, Balsamo L, Talbot M, et al: Amputation: evaluation and treatment. *Mil Med* 2018;183:112:112-114

Gordon W, Fleming M, Johnson A, et al: Pelvic fracture care. *Mil Med* 2018;183:115-117

Gordon W, Talbot M, Fleming M, et al: High bilateral amputations and dismounted complex blast injury (DCBI). *Mil Med* 2018;183:118-122

Gordon W, Talbot M, Shero J, et al: Acute extremity compartment syndrome and the role of fasciotomy in extremity war wounds. *Mil Med* 2018;183:108-111

Habib N, Filardo G, Delcogliano M, et al: An algorithm to avoid missed open-book pelvic fractures. *Eur Rev Med Pharmacol Sci* 2018;22:2973-2977

Han Y, Huang H, Pan J, et al: Is the combined application of both drain-clamping and tranexamic acid superior to the single use of either application in patients with total-knee arthroplasty?: A meta-analysis of randomized controlled trials. *Medicine* 2018;97:e11573

Heinänen M, Brinck T, Lefering R, et al: Resource use and clinical outcomes in blunt thoracic injury: a 10-year trauma registry comparison between southern Finland and Germany. *Eur J Trauma Emerg Surg* 2018;Epub ahead of print

Holcomb J, Jenkins D: Get ready: whole blood is back and it's good for patients. *Transfusion* 2018;58:1821-1823

Hopkins E, Green S, Kiemeny M, Haukoos J: A two-center validation of "patient does not follow commands" and three other simplified measures to replace the Glasgow Coma Scale for field trauma triage. *Ann Emerg Med* 2018;72:259-269

James M, Richards G, Gopalan P, et al: Should hydroxyethyl starch be banned? *Lancet* 2018;392:119

Jamme S, Poletti A, Gamulin A, et al: False negative computed tomography scan due to pelvic binder in a patient with pelvic disruption: a case report and review of the literature. *J Med Case Rep* 2018;12:271

Janak J, Stockinger Z, Mazuchowski E, et al: Military preventable death conceptual framework: a systematic approach for reducing battlefield mortality. *Mil Med* 2018;183:15-23

Jarvis J, Gonzales J, Johns D, Sager L: Implementation of a clinical bundle to reduce out-of-hospital peri-intubation hypoxia. *Ann Emerg Med* 2018;72:272-279

- Joshi S, Prakash S, Mullick P, et al: Clinical evaluation of the cricoid pressure effect on bag mask ventilation, ProSeal laryngeal mask placement and ventilation. *Turk J Anaesthesiol Reanim* 2018;46:381-387
- Juelsgaard J, Rognås L, Knudsen L, et al: Prehospital treatment of patients with acute intracranial pathology: adherence to guidelines and blood pressure recommendations by the Danish Air Ambulance. *Scand J Trauma Resusc Emerg Med* 2018;26:68
- Jung A, Johnson M, Veile R, et al: Variable saline resuscitation in a murine model of combined traumatic brain injury and haemorrhage. *Brain Inj* 2018;Epub ahead of print
- Kandori K, Ishii W, Iiduka R: Massive systemic arterial air embolism cause be an air shunt after chest trauma: a case report. *Int J Surg Case Rep* 2018;51:368-371
- Kauvar D, Miller D, Walters T: Tourniquet use is not associated with limb loss following military lower extremity arterial trauma. *J Trauma Acute Care Surg* 2018;85:495-499
- Kheirabadi B, Terrazas I, Miranda N, et al: Long-term consequences of abdominal aortic tourniquet and junctional tourniquet for hemorrhage control. *J Surg Res* 2018;231:99-108
- Kim K, Kim H, Kim G, Bae S: Tranexamic acid is effective for blood management in open-wedge high tibial osteotomy. *Orthop Traumatol Surg Res* 2018;Epub ahead of bread
- Kirkpatrick A, McKee J, Netzer I, et al: Transoceanic telementoring of tube thoracostomy insertion: a randomized controlled trial of telemonitored versus unmentored insertion of tube thoracostomy by military medical technicians. *Telemed J E Health* 2018;Epub ahead of print
- Kozaci N, Avci M, Ararat E, et al: Comparison on ultrasonography and computed tomography in the determination thoracic injuries. *Am J Emerg Med* 2018;Epub ahead of print
- Kragh J, Tan A, Newton N, et al: Study on tourniquet use in simulated first aid: user judgement. *J Spec Oper Med* 2018;18:15-21
- Lai S, Jain A, Mason J, Grock A: Beyond ATLS: demystifying the expert resuscitator. *Ann Emerg Med* 2018;72:299-301

Lee J, Kim D, Choi S, et al: Prospective, randomized comparison of the i-gel and the self-pressurized air-Q intubating laryngeal airway in elderly anesthetized patients. *Anesth Analg* 2018;Epub ahead of print

Lei R, Swartz M, Harvin J, et al: Stop the bleed training empowers learners to act to prevent unnecessary hemorrhagic death. *Am J Surg* 2018;Epub ahead of print

Lewis S, Pritchard M, Evans D, et al: Colloids versus crystalloid for fluid resuscitation in critically ill people. *Cochrane Database Syst Rev* 2018;Epub ahead of print

Liu C, Mao Z, Hu P, et al: Fluid resuscitation in critically ill patients: a systematic review and network meta-analysis. *Ther Clin Risk Manag* 2018;14:1701-1709

Maeda T, Michihata N, Sasabuchi Y, et al: Safety of tranexamic acid during pediatric trauma: a nationwide database study. *Pediatr Crit Care Med* 2018;Epub ahead of print

Maw G, Furyk C: Pediatric massive transfusion: a systematic review. *Pediatr Emerg Care* 2018;34:594-598

McCafferty R, Neal C, Marshall S, et al: Neurosurgery and medical management of severe head injury. *Mil Med* 2018;183:67-72

McKee J, Kirkpatrick A, Bennett B, et al: Worldwide case reports using the iTClamp for external hemorrhage control. *J Spec Oper Med* 2018;18:39-44

Meena U, Gupta A, Sinha V: Prehospital care in traumatic brain injury: factor affecting patient's outcome. *Asian J Neurosurg* 2018;13:636-639

Meyer D, Cotton B, Fox E, et al: A comparison of resuscitation intensity and critical administration threshold in predicting early mortality among bleeding patients: a multicenter validation in 680 major transfusion patients. *J Trauma Acute Care Surg* 2018;85:691-696

Monchal T, Martin M, Antevil J, et al: Emergency resuscitative thoracotomy in the combat or operational environment. *Mil Med* 2018;183:92-97

Moser B, Keller C, Augidgé L, Bruppacher H: Oropharyngeal leak pressure of the LMA Protector™ vs the LMA Supreme™; a prospective, randomized, controlled clinical trial. *Acta Anaesthesiol Scand* 2018;Epub ahead of print

Motameni A, Hodge R, McKinley W, et al: The use of ABC score in activation of massive transfusion: the yin and the yang. *J Trauma Acute Care Surg* 2018;85:298-302

Myers S, Kutcher M, Rosengart M, et al: Tranexamic acid administration is associated with an increased risk of post-traumatic venous thromboembolism. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Nagashima F, Inoue S, Koami H, et al: High-dose Factor XIII administration induces effective hemostasis for trauma-associated coagulopathy (TAC) both in vitro and in rat hemorrhagic shock in vivo models. *J Trauma Acute Care Surg* 2018;85:588-597

Naumann D, Khan M, Smith J, et al: Future strategies for remote damage control resuscitation after traumatic hemorrhage. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Neal C, McCafferty R, Freedman B, et al: Cervical and thoracolumbar spine injury evaluation, transport, and surgery in the deployed setting. *Mil Med* 2018;183:83-91

Neal M, Reynolds B, Bertoty D, et al: Design and implementation of the Western Pennsylvania regional Stop the Bleed initiative. *J Trauma Acute Care Surg* 2018;85:684-690

Nuutila K, Yang L, Broomhead M, et al: PWD: Treatment platform for both prolonged field care and definitive treatment of burn-injured warfighters. *Mil Med* 2018;Epub ahead of print

Ono Y, Kakamu T, Kikuchi H, et al: Expert-performed endotracheal intubation-related complications in trauma patients: incidence, possible risk factors, and outcomes in the prehospital setting and emergency department. *Emerg Med Int* 2018;doi:10.1155/5649476

Osier C, Smith C, Stinner D, et al: Orthopedic trauma: extremity fractures. *Mil Med* 2018;183:105-107

Ota K, Fumimoto S, Iida R, et al: Massive hemothorax due to two bleeding sources with minor injury mechanism: a case report. *J Med Case Rep* 2018;12:291

Pace J, Parry N, Vogt K, et al: A clinical prediction model for raised intracranial pressure in patients with traumatic brain injury. *J Trauma Acute Care Surg* 2018;85:380-386

Pérez-Jimeno N, Muñoz M, Mateo J, et al: Efficacy of topical tranexamic acid within a blood-saving programme for primary total hip arthroplasty: a pragmatic, open-label randomized study. *Blood Transfus* 2018;Epub ahead of print

Podsiadlo P, Kosiński S, Darocha T, et al: Severe post-traumatic hypothermia in a burned patient. *J Emerg Nurs* 2018;Epub ahead of print

Powers A, Pinto M, Aldridge A, et al: Factors associated with the progression of conservatively managed acute traumatic subdural hemorrhage. *J Crit Care* 2018;48:243-250

Ramasubramanian V, Murlidharan P, Nambi S, et al: Efficacy and cost comparison of ertapenem as outpatient parenteral antimicrobial therapy in acute pyelonephritis due to extended-spectrum beta-lactamase-producing enterobacteriaceae. *Indian J Nephrol* 2018.24:351-357

Rasmussen T, Stockinger Z, Antevil J, et al: Wartime vascular injury. *Mil Med* 2018;183:101-104

Reed J, Carman M, Titch F, Kotwal R: Implementation and evaluation of a first-responder bleeding-control training program in a rural police department. *J Spec Oper Med* 2018;18:57-61

Reid C, Fogg T, Healy G: Deformation of a humeral intraosseous catheter due to positioning for thoracostomy. *Clin Exp Emerg Med* 2018;5:208-209

Ritter J, O'Brien S, Rivet D, et al: Radiology: Imaging trauma patients in a deployed setting. *Mil Med* 2018;183:60-64

Roberts I, Belli A, Brenner A, et al: Tranexamic acid for significant traumatic brain injury (The CRASH-3 trial): statistical analysis plan for an international, randomized, double-blind, placebo-controlled trial. *Wellcome Open Res* 2018;Epub ahead of print

Roberts I, Shakur H, Bellomo R, et al: Should hydroxyethyl starch be banned? - Author's reply. *Lancet* 2018;392:119

Rodriguez C, Tribble D, Malone D, et al: Treatment of suspected invasive fungal infection in war wounds. *Mil Med* 183:142-146

Rodriguez R, Canseco K, Baumann B, et al: Pneumothorax and hemothorax in the era of frequent chest computed tomography for the evaluation of adult patients with blunt trauma. *Ann Emerg Med* 2018;Epub ahead of print

Rubenson-Wahlin R, Nelson D, Bellander D, et al: Prehospital intubation and outcome in traumatic brain injury- assessing intervention efficacy in modern trauma cohort. *Front Neurol* 2018;9:194

Saeed O, Tribble D, Biever K, et al: Infection prevention in combat-related injuries. *Mil Med* 2018;183:137-141

Saracoglu K, Demir A, Pehlivan G, et al: Analyzing the efficacy of the l-gel supraglottic airway device in supine and lateral decubitus position. *Anaesthesiol Intensive Ther* 2018;Epub ahead of print.

Schauer S, Naylor J, April M, et al: Prehospital resuscitation performed on hypotensive trauma patients in Afghanistan: the Prehospital Trauma Registry experience. *Mil Med* 2018 ;Epub ahead of print

Schuster K, Hazelton J, Rattigan D, et al: Can acute care surgeons perform while fatigued? *J Trauma Acute Care Surg* 2018;85:476-484

Seheult J, Anto V, Alarcon L, et al: Clinical outcomes among low-titer group O whole blood recipients compared to recipients of conventional components in civilian trauma resuscitation. *Transfusion* 2018;2018;58:1838-1845

Self W, Semier M, Bellomo R, et al: Liberal versus restrictive intravenous fluid therapy for early septic shock: rationale for a randomized trial. *Ann Emerg Med* 2018;72:457-466

Sewalt C, Wieggers E, Venema E, et al: The volume-outcome relationship in severely injured patients: a systematic review and meta-analysis. *J Trauma Acute Care Surg* 2018;85:810-819

Sharrock A, Remick K, Midwinter M, Rickard R: Combat vascular injury: influence of mechanism of injury on outcomes. *Injury* 2018;Epub ahead of print

Sheppard F, Schaub L, Cap A, et al: Whole blood mitigates the acute coagulopathy of crystalloid resuscitation. *J Trauma Acute Care Surg* 2018;Epub ahead of print

Simon M, Tibbits E, Hoareau G, et al: Lower extremity cooling reduces ischemia-reperfusion injury following Zone 3 REBOA in a porcine hemorrhage model. *J Trauma Acute Care Surg* 2018;85:512-518

Spott M, Burelison D, Kurkowski C, Stockinger Z: JTS CPG development process. *Mil Med* 2018;183:12-14

Spott M, Kurkowski C, Burelison D, Stockinger Z: The DoD Trauma Registry versus electronic health record. *Mil Med* 2018;183:8-11

Spott M, Kurkowski C: The Joint Trauma System teams dedicated to optimizing combat casualty care. *Mil Med* 2018;183:190-192

Spott M, Kurkowski C, Stockinger Z: The Joint Trauma System: history in the making. *Mil Med* 2018;183:4-7

Stein D, Sayeed I: Bridging the translational divide: emerging strategies in pharmacological approaches to traumatic brain injury. *Neuropharmacology* 2018;Epub ahead of print

Stewart I, Bolanos J, Little D, et al: Hyperkalemia and dialysis in the deployed setting. *Mil Med* 2018;183:147-152

Stockinger Z: The Joint Trauma System and the fog of war. *Mil Med* 2018;183:1-3

Stockinger Z, Grabo D, Benov A, et al: Blunt abdominal trauma, splenectomy, and post-splenectomy vaccination. *Mil Med* 2018;183:98-100

Stratton S: Glasgow Coma Scale score in trauma triage: a measurement without meaning. *Ann Emerg Med* 2018;72:270-271

Tan L, An Tan D, Seet E: Laryngeal mask airway Protector™ for intubation and extubation in thyroid surgeries: a case report. *Indian J Anaesth* 2018;62:545-548

Taylor L, Vitto M, Joyce M, et al: Ultrasound-guided thoracostomy site identification in healthy volunteers. *Crit Ultrasound J* 2018;10:28

Teeter W, Romagnoli A, Wasicek P, et al: Resuscitative endovascular balloon occlusion of the aorta improves cardiac compression fraction versus resuscitative thoracotomy in patients in traumatic arrest. *Ann Emerg Med* 2018;72:354-360

Ten Brinke J, Groen S, Dehnad M, et al: Prehospital care of spinal injuries: a historical quest for reasoning and evidence. *Eur Spine J* 2018;Epub ahead of print

Thompson M, McIntyre L, Hutton B, et al: Comparison of crystalloid resuscitation fluids for treatment of acute brain injury: a clinical and pre-clinical systematic review and network meta-analysis protocol. *Syst Rev* 2018;7:125

Thomsen J, Nørskov A, Rosenstock C: Supraglottic airway devices in difficult airway management: a retrospective cohort study on 658,104 general anaesthetics registered in the Danish Anaesthesia Database. *Anaesthesia* 2018;Epub ahead of print

Tobin J, Barras W, Bree S, et al: Anesthesia for trauma patients. *Mil Med* 2018;138:32-35

Veenstra B, Wojtowicz A, Walsh N, Velasco J: The emergency surgical airway: bridging the gap from quality outcome to performance improvement through a novel simulation based on curriculum. *Am J Surg* 2018

Velopulos C, Shihab H, Lottenberg L, et al: Prehospital spine immobilization/spinal motion restriction in penetrating trauma: a practice management guideline from the Eastern Association for the Surgery of Trauma (EAST). *J Trauma Acute Care Surg* 2018;84:736-744

Walrath B, Harper S, Barnard E, et al: Airway management for trauma patients. *Mil Med* 2018;183:29-31

Wang H, Schmicker R, Daya M, et al: Effect of a strategy of initial laryngeal tube insertion vs endotracheal intubation on 72-hour survival in adults with out-of-hospital cardiac arrest: a randomized clinical trial. *JAMA* 2018;320:769-778

Williams T, Tibbits E, Hoareau G, et al: Endovascular variable aortic control (EVAC) versus resuscitative endovascular balloon occlusion of the aorta (REBOA) in a swine model of hemorrhage and ischemia reperfusion injury. *J Trauma Acute Care Surg* 2018;85:51-526

Winchell R, Eastridge B, Moore M, et al: Developing a national trauma system: proposed governance and essential elements. *J Trauma Acute Care Surg* 2018;85:637-641

Woolley T, Thompson P, Kirkman E, et al: Trauma hemostasis and oxygenation research network position paper on the role of hypotensive resuscitation as part of remote damage control resuscitation. *J Trauma Acute Care Surg* 2018;84:S3-S13

Wyrwa R, Otto K, Voigt S, et al: Electrospun mucosal wound dressings containing styptics for bleeding control. *Mater Sci Eng C Mater Biol Appl* 2018;93:419-428

Yazer M, Spinella P: The use of low-titer group O whole blood for the resuscitation of civilian trauma patients in 2018. *Transfusion* 2018;Epub ahead of print

Zhao N, Kragh J, Aden J, et al: Your metric matters! Choose wisely to assess user performance with tourniquets in simulated first aid. *J Spec Oper Med* 2018;18:22-27

Zitek T, Skaggs Z, Rahbar A, Khan M: Does intravenous lactated ringer's solution raise serum lactate? *J Emerg Med* 2018;55:313-318

Zong Z, Chen S, Qin H, et al: Chinese expert consensus on echelons treatment of pelvic fractures in modern war. *Mil Med Res* 2018;5:21

Zosa B, Elliott C, Kurlander D, et al: Facing the facts of prophylactic antibiotics for facial fractures: 1 day or less. *J Trauma Acute Care Surg* 2018;85:444-450