

# TCCC Journal Watch

May 2019

ACEP Policy Statement: Military considerations in emergency medical services (EMS). *Ann Emerg Med* 2019;73:e27-e28

Ackland P, Greer N, Sayer N, et al: Effectiveness and harms of mental health treatments in service members and veterans with deployment-related mild traumatic brain injury. *J Affect Disord* 2019;252:493-501

Allison H: Hemorrhage control: lessons learned for the battlefield use of hemostatic agents that can be applied in a hospital setting. *Crit Care Nurse Q* 2019;42:165-172

Anton-Martin P, Bhattarai P, Rycus P, et al: The use of extracorporeal membrane oxygenation in life-threatening foreign body aspiration: case series, review of extracorporeal life support organization registry data, and systematic literature review. *J Emerg Med* 2019;56:523-529

Avci I, Yavuz A, Seker S, Celik S: Transorbital penetrating head trauma leading to serious cerebral edema- a case report. *Trauma Case Rep* 2019;21:100192

Aydin A, Bilge S, Aydin C, et al: The success of endotracheal intubation with a modified laryngoscope using night vision goggles. *Ulus Travma Acil Cerrahi Derg* 2018;24:97-103

Baker J, Goodman M, Makley A, et al: Evaluation of a novel fibrin sealant patch in a hemorrhage control after vascular of hepatic injury. *Mil Med* 2019;194:e290-e296

Barr J, Montgomery S: Helicopter MEDEVAC in the Korean War: did it matter? *J Trauma Acute Care Surg* 2019;Epub ahead of print

Bauchwitz B, Curley T, Kwan C, et al: Modeling framework used to analyze and describe junctional tourniquet skills, *Mil Med* 2019;184:347-360

Benov A, Shkolnik I, GLassberg E, et al: Prehospital trauma experience of the Israel Defense Forces on the Syrian border 2013-2017. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Bergese S, Melson T, Candiotti K, et al: A phase 3, randomized, placebo-controlled evaluation of the safety of intravenous meloxicam following major surgery. *Clin Pharmacol Drug Dev* 2019;Epub ahead of print

Bynum J, Meledeo M, Peltier G, et al: Evaluation of a lyophilized platelet-derived hemostatic product. *Transfusion* 2019;59:1490-1498

Callcut R, Kornblith L, Conroy A, et al: The why and how our trauma patients die: a prospective multicenter Western Trauma Association study. *J Trauma Acute Care* 2019;86:864-870

Carr P, Rippey J, Cooke M, et al: Factors associated with peripheral intravenous cannulation first-time insertion success in the emergency department. A multicenter prospective cohort analysis of patient, clinician and product characteristics. *BMJ Open* 2019;9:e022278

Casey J, Janzx D, Russell D, et al: Bag-mask ventilation during tracheal intubation or critically ill adults. *N Eng J Med* 2019;380:811-821

Chen J, Lu L, Li Y, et al: Preparation and evaluation of Bletilla striata polysaccharide/graphene oxide composite hemostatic sponge. *Int J Biol Macromol* 2019;Epub ahead of print

Chen S, Yang J, Zhang L, et al: Progress on combat damage control resuscitation/surgery and its application in the Chinese People's Liberation Army. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Cooper R: Preparation for and management of "failed" laryngoscopy and/or intubation. *Anesthesiology* 2019;130:833-849

Couperus K, Kmiecik K, Kang C: IV DripAssist: an innovative way to monitor intravenous infusion away from an outlet? *Mil Med* 2019;184:322-325

Cullinane D, Jawa R, Como J, et al: Management of penetrating intraperitoneal colon injuries: a meta-analysis and practice management guideline from the Eastern Association for the Surgery of Trauma. *J Trauma Acute Care Surg* 2019;86:505-515

Dalziel K, Cheek J, Fanning L, et al: A cost-effective analysis comparing clinical decision rules PECARN, CATCH, and CHALICE with usual care for the management of pediatric head injury. *Ann Emerg Med* 2019;73:5:429-439

D'Angelo M, Welder M, Chauhan R, Kearns M: Future trends in trauma care: through the lens of the wounded how lessons from the battlefield may be used at home. *Anesthesiol Clin* 2019;37:183-193

Davis M, Rasmussen T; Winds of change in military medicine and combat casualty care. *J Trauma Acute Care Surg* 2019;Epub ahead of print

DeSantis S, Brown D, Jones A, et al: Characterizing red blood cell age exposure in massive transfusion therapy: the scalar age of blood index (SBI). *Transfusion* 2019;Epub ahead of print

Dhanjal S, Highland K, Nguyen D, et al: Regional anesthesia in the combat setting: are ACGEME requirements enough? *Mil Med* 2019;Epub ahead of print

Donnally C, Rivera S, Rush A, et al: The 100 most influential spine fracture publications. *J Spine Surg* 2019;5:97-109

Dutta R, Kulkarni K, Steinman AM et al: Human responses to 5 heated hypothermia wrap systems in a cold environment. *Wilderness Environ Med* 2019;Epub ahead of print

Dutton, RP: Next-level thinking about mass casualty care. *J Trauma Acute Care Surg* 2019;86:386-387

Eastridge B, Holcomb J, Shackelford S: Outcomes of traumatic hemorrhagic shock and the epidemiology of preventable death from injury. *Transfusion* 2019;59:1423-1428

Feld F: Removal of the long spine board from clinical practice: a historical perspective. *J Athl Train* 2018;53:752-755

Fenger-Eriksen C, D'Amore Lindholm A, Nørholt S, et al: Reduce perioperative blood loss in children undergoing craniotomies surgery using prolonged tranexamic acid infusion: a randomised trial. *Br J Anaesth* 2019;Br J Anaesth 2019;Epub ahead of print

Ferrada P, Wolfe L, Duchesne J, et al: Management of duodenal trauma: a retrospective review from the Panamerican Trauma Society. *J Trauma Acute Care Surg* 2019;86:392-396

Fisher AD, Carius BM, Corley JB, Dodge PM, Miles EA, Taylor AL: Conducting Fresh Whole Blood Transfusion Training. *J Trauma Acute Care Surg* 2019; epub ahead of print

Fisher AD, Carius BM, Lacroix J, Dodge PM, Dodd J, Soderlund E, EMT8, Thompson D, Loos P, Fannin J, Montgomery HR, Gestring ML: National Stop the Bleed Day: The impact of a social media campaign on the Stop the Bleed program. *J Trauma Acute Care Surg* 2019; epub ahead of print

Friesgaard K, Kirkegaard H, Rasmussen C, et al: Prehospital intravenous fentanyl administered by ambulance personnel: a cluster-randomised comparison of two treatment protocols. *Scand J Trauma Resusc Emerg Med* 2019;27:11

Garg A, Lamba N, Ajai Chandra N, et al: Supraglottic airway devices in short gynecological procedures: a randomized, clinical study comparing the Baska® mask and the I-Gel® device. *J Family Med Prim Care* 2019;8:1134-1137

Glaser J, Fischer A, Shackelford A, et al: A contemporary report on U.S. Military Guidelines for the use of whole blood and resuscitative endovascular balloon occlusion of the aorta (REBOA). *J Trauma Acute Care Surg* 2019;Epub ahead of print

Glick Y, Furer, Glick K, et al: The Israeli Defense Forces point of injury antimicrobial treatment protocol- a new protocol and review of the literature. *Mil Med* 2019;184:78-82

Green S, Roback M, Krauss B, et al: Unscheduled procedural sedation: a multidisciplinary consensus practice guideline. *Ann Emerg Med* 2019;73:e51-e65

Grosset A, Pfister G, de l'Escalopier N, et al: Risk factors and failures in the management of limb injuries in combat casualties. *Int Orthop* 2019;Epub ahead of print

Gupta N, Hackla S, Bhagat V, et al: Cross-border firing and injury patterns. *J Emerg Trauma Shock* 2016;9:17-21

Guth C, Vassal O, Friggeri A, et al: Effects of modifications of trauma and bleeding management: a before and after study. *Anaesth Crit Care Pain Med* 2019;Epub ahead of print

Gutierrez X, April M, Maddry J, et al: Incidence of pediatric cervical spine injuries in Iraq and Afghanistan. *South Med J* 2019

Guyette F, Sperry J, Peitzman A, et al: Prehospital blood product and crystalloid resuscitation in the severely injured patient: a secondary analysis of the prehospital air medical plasma trial. *Ann Surg* 2019;Epub ahead of print

Hahn, C Staudt A, Brockmeyer J, et al: Characteristics of Iraqi patients treated during Operation Inherent resolve by a forward surgical team. *Mil Med* 2019;184:301-305

Hapern P, Dang T, Epstein Y, et al: Six hours of manual ventilation with a bag-valve-mask device is feasible and clinically consistent. *Crit Care Med* 2019;47:e222-e226

Harcke H, Lawrence L, Gripp E, et al: Adult tourniquet for use in school-age emergencies. *Pediatrics* 2019;143:e20183447

Harris M: Letter to the editor: "No intravenous access, no problem: intraosseous administration of tranexamic acid is as effective as intravenous in a porcine hemorrhage model, Lallemand et al, *V84*, 2, 379-385,2018. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Herder P, Lu M, LaPorta A, et al: Comparison of a novel trainer to a traditional swime model for training providers in lateral canthotomy and cantholysis. *Mil Med* 2019;184:342-346

How R, Glaser J, Schaub L, et al: Pre-hospital adenosine, lidocaine and magnesium has inferior survival compared to tactical combat casualty care resuscitation in a porcine model of prolonged hemorrhagic shock. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Hsiao C, Chen W: Traumatic Iridodialysis. *N Engl J Med* 2019;380:1463  
Ishil K, Kinoshita T, Kiridume K, et al: Impact of initial coagulation and fibrinolytic markers on mortality in patients with severe blunt trauma: a multicentre retrospective observational study. *Scand J Trauma Resucs Emerg Med* 2019;27:25

Jahns F, Miroz J, Messerer M, et al: Quantitative pupillometry for the monitoring of intracranial hypertension in patients with severe traumatic brain injury. *Crit Care* 2019;23:155

Jones C, Rodriguez R, Griffin R, et al: Complications associated with placement of chest tubes: a trauma system perspective. *J Surg Res* 2019;239:98-102

Juergens A, Odom B, Ren C, Meyers K: Success rates with digital intubation: comparing unassisted, stylet, and gum-elastic bougie techniques. *Wilderness Environ Med* 2019;30:52-55

Kauver D, Dubick M, Martin M: Large animal models of proximal aortic balloon occlusion in traumatic hemorrhage: review and identification of knowledge gaps relevant to expanded use. *J Surg Res* 2019;236:247-258

Khan M, Mujahid M: A review on recent advances in chitosan based composite for hemostatic dressings. *Int J Biol Macromol* 2019;124:137-147

Khemka R, Rastogi S, Chakraborty A, Sinha S: Ultrasonographic assessment of altered anatomical relationship between internal jugular vein and common carotid artery with supraglottic airway in children: LMA vs i-gel™. *Indian J Anaesth* 2019;63:114-118

Kim T, Hong K, Shin S, et al: Effect of endotracheal intubation and supraglottic airway device placement during cardiopulmonary resuscitation on carotid blood flow over resuscitation time: an experimental porcine cardiac arrest study. *Resuscitation* 2019;Epub ahead of print

King D: Initial care of the severely injured patient. *N Engl J Med* 2019;380:763-770

King M, Jagannathan N: Airway management with a supraglottic airway for laparoscopic surgery: does device selection matter? *J Clin Anesth* 2019;56:134-135

Kirschner J, Hunter B: Is low-dose ketamine an effective alternative to opioids for acute pain? *Ann Emerg Med* 2019;75:e47-e49

Koenig M: Where there is no law, there is no transgression: goal-directed therapy for traumatic brain injury. *Crit Care Med* 2019;47:731-733

Kulkarni K, Hildahl E, Dutta R, et al: Efficacy of head and torso rewarming using a human model for severe hypothermia. *Wilderness Environ Med* 2019;30:35-43

Kulla M, Popp E, Knapp J: Resuscitative endovascular balloon occlusion of the aorta: an option for noncompressible torso hemorrhage? *Curr Opin Anaesthesiol* 2019;32:213-226

Lairet J, Bebart V, Maddry J, et al: Prehospital interventions performed in Afghanistan between November 2009 and March 2014; *Mil Med* 2019;133-137

Lee E, Yun S, Lim Y, et al: The effects of perioperative intravenous fluid administration strategy on renal outcomes in patients undergoing cardiovascular surgery: an observational study. *Medicine* 2019;98:e14383

Lester E, Fox E, Holcomb J, et al: The impact of hypothermia on outcomes in massively transfused patients. *J Trauma Acute Care Surg* 2019; 86:458-463

Long M, Arevalo O, Ugalde I: Case series of adolescents with stroke-like symptoms following head trauma. *J Emerg Med* 2019;56:554-559

Lowndes B, Law K, Abdelrahman A, et al: Preliminary investigation of civilian clinician perspectives & just-in-time guidance for tourniquet use to “Stop the Bleed”. *Mil Med* 2019;184:28-36

Lozada MJ, Cai S, Li M, Davidson SL, Nix J, Ramsey G: The Las Vegas mass shooting: An analysis of blood component administration and blood bank donations. *J Trauma Acute Care Surg* 2019; epub ahead of print

Mansky R, Scher C: Thoracic trauma in military settings: a review of current practices and recommendations. *Curr Opin Anaesthesiol* 2019;32:227-233

May F, Hodel J, Mekontso Dessap A, Razazi K: Cerebral fat embolism after intraosseous infusion. *Intensive Care Med* 2019;45:257-258

Mckee J, Mckee I, Bouclin M, et al: A randomized controlled trial using iTClamp, direct pressure, and balloon catheter tamponade to control neck hemorrhage in a perfused human cadaver model. *J Emerg Med* 2019;56:363-370

Meissen H: Integrating advanced practice providers into the multiprofessional critical care team. *Crit Care Med* 2019;47:737-738

Merck L, Yeatts S, Silbergleit R, et al: The effect of goal-directed therapy on patient morbidity and mortality after traumatic brain injury: results from the progesterone for the treatment of traumatic brain injury III clinical trial. *Crit Care Med* 2019;47(5):623-631

Mesghali E, Fitter S, Bahjri K, Moussavi K: Safety of peripheral line administration of 3% hypertonic saline and mannitol in the emergency department. *J Emerg Med* 2019;Epub ahead of print

Messika J, Prat D, Sztrymf B: Tranexamic acid inhalations in nonmassive hemoptysis: a word of caution. *Chest* 2019;155:876

Minotti B, Pulver C, Schaub P, et al: Pneumothorax, chest drain, and commercial air travel. *Ann Emerg Med* 2019;73:551-552

Morte D, Lammers D, Bingham J, et al: Tranexamic acid (TXA) administration following head trauma in a combat setting: does TXA result in improved neurologic outcomes? *J Trauma Acute Care Surg* 2019;Epub ahead of print

Nawn C, Blackburn M, De Lorenzo R, Ryan K: Using spectral reflectance to distinguish between tracheal and oesophageal tissue: applications for airway management. *Anaesthesia* 2019;74:340-347

Nolte P, Uzun D, Häske D, et al: Analysis of cervical spine immobilization during patient transport in emergency medical services. *Eur J Trauma Emerg Surg* 2019;Epub ahead of print

Nugent W, Sheppard F, Dubick M, et al: Microvascular and systemic impact of resuscitation with pegylated carboxyhemoglobin-based oxygen carrier or hetastarch in a rat model on transient shock. *Shock* 2019;Epub ahead of print

Palanisamy A, Kinsella S: Spinal tranexamic acid- a new killer in town. *Anaesthesia* 2019;Epub ahead of print

Palmieri T, Homes J, Arnoldo B, et al: Restrictive transfusion strategy is more effective in massive burns: results from the TRIBE multicenter prospective randomized trial. *Mil Med* 2019;184:11-15

Patel S, Robertson B, McConachie I: Catastrophic drug errors involving tranexamic acid administered during spinal anaesthesia. *Anawsthesia* 2019;Epub ahead of print

Pehler S, Jones R, Staggers J, et al: Clinical outcomes of cervical facet fractures treated nonoperatively with hard collar or halo immobilization. *Global Spine J* 2019;9:48-54

Peralta M, Chowdary P: The use of new procoagulants in blunt and penetrating trauma. *Curr Opin Anaesthesiol* 2019;32:200-205

Philips D, Bowman J, Zafren K: Successful field rewarming of a patient with apparent moderate hypothermia using hypothermia wrap and chemical heat blanket. *Wilderness Environ Med* 2019;Epub ahead of print

Podsiadło P, Kosiński S, Darocha T, et al: Diagnosis and treatment of post-traumatic hypothermia in hospitals- a pilot study. *Pol Przegl Chir* 2019;91:25-29

Reed J, Carman M: Leading the effort to promote bleeding control in our communities. *AJN* 2019;119:51-53

Regli A, Pelosi P, Malbrain M: Ventilation in patients with intra-abdominal hypertension: what every critical physician needs to know. *Ann Intensive Care* 2019;9:52

Roberts T, Jones J, Choi J, et al: Thromboelastography on-the-go: evaluation on the TEG 6s device during ground and high-altitude aeromedical evacuation with extracorporeal life support. *J Trauma Acute Care Surg* 2019;Epub ahead of print

Roy S, Schielke R, Haffey D, Coombs H: Chemical heat packs as an intervention to prolonged ultrasound battery runtime. *Wilderness Environ Med* 2019;Epub ahead of print



Ruel-Laliberté J, Lessard Bonaventure P, Fergusson D, et al: Effect of age of transfused red blood cells on neurologic outcome following traumatic brain injury (ABLE-tbi study): a nested study of the Age of Blood Evaluation (ABLE) trial. *Can J Anaesth* 2019;Epub ahead of print

Ruetzler K, Leung S, Chmiela M, et al: Regurgitation and pulmonary aspiration during cardio-pulmonary resuscitation (CPR) with a laryngeal tube: a pilot crossover human cadaver study. *PLoS One* 2019;14:e0212704

Sappenfield J, Grek S, Cooper L, et al: Reduced complications of supraclavicular approach in simulated central venous access: applicability to military medicine. *Mil Med* 2018;184:329-334

Schauer S, Naylor J, Bellamy M, et al: A descriptive analysis of causalities undergoing CASEVAC from the point-of-injury in the Department of Defense Trauma Registry. *Mil Med* 2019;Epub ahead of print

Schweizer M, Janak J, Stockinger Z, Monchal T: Description of trauma among French service members in the Department of Defense Trauma Registry: understanding the nature of trauma and the care provided. *Mil Med Res* 2019;6:7

Sharrock A, Tai N, Perkins Z, et al: Management and outcome of 597 wartime penetrating lower extremity arterial injuries from an international military cohort. *J Vasc Surg* 2019;Epub ahead of print

Sharwood L, Dhaliwal S, Ball J, et al: Emergency and acute care management of traumatic spinal cord injury: a survey of current practice among senior clinicians across Australia. *BMC Emerg Med* 2018;18:57

Sheu Y, Yu S, Huang T: Comparison of the efficacy of bougie and stylet in patients with endotracheal intubation: a meta-analysis of randomized. *J Trauma Acute Care Surg* 2019;86:902-908

Slattery C, Kark J, Wagner T, Verma K: The use of tranexamic acid to reduce surgical blood loss: a review basic science, subspecialty studies, and the evolution of use in spine deformity surgery. *Clin Spine Surg* 2019;Epub ahead of print

Smith J, Simpson G, Heightman AJ: EMS Response to the Mass Shooting at the Route 91 Harvest Festival in Las Vegas. *JEMS* 2018; 1 April 2018

Smith ER, Sarani B, Shapiro G, Gondek S, Rivas L, Ju T, Robinson B, Estroff JM, Fudenberg J, Amdur R, Mitchell R: Incidence and Cause of Potentially Preventable Death after Civilian Public Mass Shootings in the US. *J American Coll Surg* 2019; Accepted for publication

Smith S, White J, Wanis K, et al: The effectiveness of junctional tourniquets: a systematic review and meta-analysis. *J Trauma Acute Care Surg* 2019;86:532-539

Sørgjerd R, Sunde G, Heltne J: Comparison of two different intraosseous access methods in a physician-staffed helicopter emergency medical service- a quality assurance study. *Scand J Trauma Resusc Emerg Med* 2019;27:15

Sotomayor T, Bailey M, Dorton S: Using simulation to address a training gap in battlefield ocular trauma: a Lateral Canthotomy and Cantholysis (LCC) prototype training system. *Mil Med* 2019;184:335-341

Stevens B, Justin G, Reed D, et al: Eucleations and eviscerations for combat ocular trauma performed during operations and Iraqi and Enduring Freedom: 2001 to 2011. *J Craniofac Surg* 2019;Epub ahead of print

Stifkens F, Dami F, Feiner A, et al: Prehospital simple thoracostomy for traumatic cardiac arrest: does the cardiac arrest rhythm matter? *J Emerg Med* 2019;56:457

Stuart S, Zarow G, Walchak A, et al: Pilot study of a novel swine model for controlling junctional hemorrhage using the iTClamp in conjunction with hemostatic agents. *Mil Med* 2019;184:367-373

Thiruganasambandamoorthy, V, Sivilotti M, Rowe B, et al: Prevalence of pulmonary embolism among emergency department patients with syncope: a multicenter prospective cohort study. *Ann Emerg Med* 2019;73:500-510

Viscusi E, Gan T, Bergese S, et al: Intravenous meloxicam for the treatment of moderate to severe acute pain: a pooled analysis of safety and opioid-reducing effects. *Reg Anesth Pain Med* 23019;Epub ahead of print

Wafaisade A, Caspers M, Bouillon B, et al: Changes in anaesthetic use for trauma patients in Germans HEMS- a retrospective study over a ten-year period. *Scand J Trauma Resusc Emerg Med* 2019;27:23

Warriner Z, Lam L, Matsushima K, et al: Initial evaluation of the efficacy and safety of in-hospital expandable hemostatic minisponge use in penetrating trauma. *J Trauma Acute Surg* 2019;86:424-430

Wessels L, Wallace J, Bowie J, et al: Radiofrequency identification of the ER-REBOA: confirmation of placement without fluoroscopy. *Mil Med* 2019;184:e285-e289

Weymouth W, Long B, Koyfman A, Winckler C: Whole blood in trauma: a review for emergency clinicians. *J Emerg Med* 2019;56:491-498

Williams A, Bhatti U, Denny I, et al: Traumatic brain injury may worsen clinical outcomes after prolonged partial resuscitative endovascular balloon occlusion of the aorta in severe hemorrhagic shock model. *J Trauma Acute Care Surg* 2019;86:415-423

Wills J, Malave B: Military physicians are not just physicians in the military: using leadership training in military graduate medical education to assure mission success. *Mil Med* 2019;184:61-63

Yue J, Cnossen M, Winkler E, et al: Pre-injury comorbidities are associated with functional impairment and post-concussive symptoms at 3- and 6- months after mild traumatic brain injury: a TRACK-TBI study. *Front Neurol* 2019;10:343

Yumoto T, Mitsuhashi T, Yamakawa Y, et al: Impact of Cushing's sign in the prehospital setting on predicting the need for immediate neurosurgical intervention in trauma patients: a nationwide retrospective observational study. *Scand J Trauma Resusc Emerg Med* 2016;24:147

Zhu C, Cobb D, Jonas R, et al: Shock index and pulse pressure as triggers for massive transfusion. *J Trauma Acute Care Surg* 2019;Epub ahead of print